

The Seiko logo is rendered in a bold, white, sans-serif typeface. It is centered horizontally and positioned above the tagline. The background of the entire page is a deep blue, featuring a subtle, light-colored grid pattern that is more pronounced on the left side.

SEIKO

DEDICATED TO PERFECTION

Premium Collection Watch Catalogue
2015-2016

SEIKO History.....	4
The SEIKO Website.....	6
The SEIKO App	6
About this Guide.....	7
Water Resistance Usage.....	8
Abbreviations.....	9
Premier	10
Sportura.....	14
Velatura	17
Prospex.....	19
Presage.....	24
Coutura	26
Le Grand Sport.....	28
Kinetic	31
Diver's	32
Men's Solar Alarm Chronograph.....	33
Men's Solar Chronograph	34
Men's Quartz Alarm Chronograph.....	35
Men's Quartz Chronograph	35
Men's Solar Analogue 100m	37
Men's Solar Analogue 50m.....	39
Men's Solar Dress.....	39
Men's Quartz Analogue 100m.....	40
Men's Quartz Analogue Dress	41
Men's Automatic Sport	42
Men's Automatic Dress	44
Ladies Automatic	45
Ladies Quartz Chronograph.....	45
Ladies Solar Analogue 100m	46
Ladies Solar Analogue 50m.....	47
Ladies Solar Analogue Dress.....	48
Ladies Quartz Analogue 100m	50
Ladies Quartz Analogue 50m.....	50
Ladies Quartz Analogue Dress	52
Stopwatches.....	54
Product Information Matrix.....	56
Product Information Matrix – Stopwatch.....	76
SEIKO Kinetic.....	78
SEIKO Solar.....	79
Operating Instructions	80
Contacts.....	101
Service Information.....	102
SEIKO Corporate	103
Sports Timing & Specialty Clocks	104
Index.....	105



- 1881** K. Hattori, predecessor of today's Seiko Holdings Corporation, established.
- 1892** Seikosha clock supply factory established; production of wall clocks begins.
Seikosha builds the first pocket watch.
- 1913** Production of Laurel, the first wristwatch made in Japan begins.
- 1953** SEIKO sponsors Japan's first TV commercial.
- 1959** SEIKO commercializes quartz clocks for broadcasting use.
- 1964** SEIKO develops the portable quartz chronometer and Seiko serves as Official Timer for the "Games of the XVIII Olympiad" held in Tokyo.
- 1968** SEIKO achieves the highest ever score in the Geneva competition and is awarded the "best mechanical wrist chronometer".

- 1969** Introduction of cal. 6139, the world's first automatic chronograph watch equipped with both vertical clutch and column wheel.
Introduction of the world's first quartz watch, "SEIKO Quartz Astron" cal. 3500.
- 1982** Introduction of the world's first TV watch cal. T001.
- 1988** Introduction of the world's first "Auto Quartz" watch cal. 7M42. (later renamed as "Kinetic").
- 1992** Introduction of 1/100th analogue quartz chronograph watch cal. 7T59.
- 1999** Introduction of the world's first Spring Drive watch cal. 7R68 (hand winding).
Introduction of the Ultimate Kinetic Chronograph cal. 9T82.
- 2005** Introduction of the Kinetic Perpetual cal. 7D48.
Introduction of the Spring Drive cal. 5R series (automatic winding).



2006 Introduction of the world's first watch with electrophoresis display module cal. G510.

Introduction of the Credor Spring Drive Sonnerie cal. 7R06.
Suggested retail price: 15 million Japanese Yen.

2007 Introduction of the Kinetic Direct Drive cal. 5D44.

Introduction of the Spring Drive Chronograph cal. 5R86 equipped with both vertical clutch and column wheel.

2009 Introduction of the Chronograph Perpetual.

2010 World's first EPD watch with an active matrix system.

2011 SEIKO's 130th Anniversary

Served as Official Timer of the IAAF World Championships Daegu 2011.

2012 SEIKO introduces the world's first Solar Powered GPS watch that supports all internationally recognised timezones.

2013 100 years of SEIKO Wrist watches marked by a collection of Special Edition models.

2014 SEIKO introduces the world's first Solar GPS watch with a chronograph.

2015 Astron GPS Solar Dual Time with AM & PM indicator is introduced.

SEIKO celebrates 50 years of diver's watches.

THE SEIKO WEBSITE

The SEIKO website is designed to provide customers, retailers and consumers with instant access to information about SEIKO. Log onto www.seiko.com.au and click the following links to find out all there is to know about the world's leading watch manufacturer.

Products – Learn more about the SEIKO Premium Collection or explore the entire SEIKO product range.

Support – Designed with retailers in mind, this section provides service information, instruction manuals you can download and 'frequently asked questions' to aid in trouble shooting, procedures for sending back repairs for prompt and efficient service.


About Us – Discover SEIKO's history from humble beginnings in 1881 and the rise that carried SEIKO to new heights and international renown. Learn about corporate structure, global networks and SEIKO's extensive involvement in sports timing.

Corporate – This section outlines specialised services that include the printing of company logos on the dial of a watch or clock, engraving and personalised messages, as well as customised packaging and more.

SEIKO will continue to grow and evolve and so too will www.seiko.com.au, so keep checking for regular updates. Please send any comments you have to info@seiko.com.au, all feedback is welcome.

www.seiko.com.au

THE SEIKO APP



Find 'SEIKO Australia' in the APP Stores to view the entire SEIKO range. Each watch details specifications, pricing, and a clear image for consumers to view.

There is also important contact information regarding our service centres, online sales policy, and a brief history of SEIKO.








The App is free for Apple and Android products.



BELOW ARE THE ABBREVIATIONS AND SYMBOLS YOU WILL FIND IN THIS CATALOGUE



ADVERTISED MODEL

- Advertised model
-  Solar – Power reserve indicated in months
-  Kinetic – Power reserve indicated in months
-  New release model
-  Stainless steel case
-  Water resistance
-  Titanium
-  Ceramic

SSC218P \$695 ————— Reference number and price

SOLAR ALARM CHRONOGRAPH ————— Watch type








TGP.MHCWR (10BAR) ————— Case material (refer to Abbreviations page)

SAPPHIRE GLASS ————— Glass type

M0TA112D0 ————— Band reference

V172 ————— Calibre Number

WATER RESISTANCE USAGE

							
EVERYDAY LIFE (International Standard ISO 2281) Recommended Usage							
Splash Resistant	●	●	●	●	●	●	●
Rain Resistant	●	●	●	●	●	●	●
SWIMMING/WATERSPORTS (International Standard ISO 2281) Recommended Usage							
Water-related Work		●	●	●	●	●	●
Swimming		●	●	●	●	●	●
Watersports (Snorkelling, Surfing, etc)			●	●	●	●	●
DIVING (International Standard ISO 6425) Recommended Usage							
Scuba Diving						●	●
Saturation Diving							●

18KYG	18K yellow gold, 18KYG middle, and 18KYG back
AHC	All Hard Coat case and back
ALSGP	All Light SEIKO Gold Colour Plated case
ASG	All SEIKO Gold Plated case
ATI	All Titanium case
ATIHICDC	All TI case with super hard coating
BTIHC.MBTIHC	All high intensity titanium
CE	Ceramics
FRP	Fibre Reinforced Plastic
GPDP	Combined SGP and PDP middle with bezel and SS back
GPHC	Combined SGP and HC middle with bezel and SS back
HC	Hard Coating SS middle with bezel and SS back
HC.SSHC	HC bezel and middle with combined SS and HC back
HGC	Hard Gold Coating middle with bezel and SS back
LSGP	Light colour SGP
MHC	HC middle with SS bezel and back
MSSGP	SS bezel, combined SS and SGP middle and SS back
MSSPCD	SS bezel combined SS and plastic middle with SS back
MSS.HC	SS middle with HC bezel and back
PDP	Palladium plated middle with bezel and SS back
SGP	SEIKO Gold Colour Plate and Stainless Steel back
SS	Stainless Steel case
SSGP	Combined SS and SGP middle with bezel and SS back
SSHC	Combined SS and HC middle with bezel and SS back
TCE.GP	CE bezel, SGP middle, and SGP back
TCE.MTIHICDC	CE bezel, TI with super hard coating middle, and TI with super hard coating back
TCE.TIHC	CE bezel, TIHC middle and TIHC back
TGPCE.MGP	Combined SGP and Ceramic bezel, SGP middle and SS back
TGPDP	Combined SGP and PDP bezel, SS middle and SS back
TGP.MGPHC	SGP bezel, SGP and HC middle and SS back
TGP.MSSGP	SGP bezel, combined SS and SGP middle and SS back
TGP.TIHCCE	SGP bezel, combined TI, HC, and CE middle (No case back as it's a one piece case model)
TGPTI.TI	Combined TI and SGP bezel, TI middle and TI back
THC	HC bezel, SS middle and SS back
THC.BTI	HC bezel, BTI (Bright Titanium) middle and BTI back
THC.MHCPCDP	HC bezel, combined HC and plastic middle with SS back
THC.MSSCE	HC bezel, combined SS and CE middle, and SS back
THC.TIHCCE	CE Outer Case, TI HC Inner Case
THGMCETIHG	HGC bezel, combined Ceramics, TI and HGC middle and combined Ceramics, TI and HGC back
TI	Titanium
TPDP	PDP bezel, SS middle and SS back
TSGP	Combined SS and SGP case and SS back
TSSCE	Combined SS and Ceramic bezel , SS middle and SS back
TSSGP	Combined SS and SGP bezel, SS middle and SS back
TSSGP.GP	SSGP bezel, SGP middle, and SGP back
TSSHC	Combined SS and HC bezel, SS middle and SS back
TSSHC.HICDC	SSHC bezel, SS with super hard coating, and SS with super hard coating back
TTIHC.MTIHICDC.TI	Ti & HC bezel, Ti & HC middle, Ti Back
TTIHC.TI	Combined TI and HC bezel, TI middle and TI back
WR	Water Resistant
XL	Lumibrite hands and hour markers

KINETIC DIRECT DRIVE

Powered by the movement of the wearer, or by winding the crown. 1 month power storage with power reserve indicator. Hour, minute, second hand. Calendar.



Case Size
41.5mm

SRX011P \$1400



KINETIC DIRECT DRIVE MOON PHASE, SSWR, (10BAR),
SAPPHIRE GLASS, M09B311J0, 5D88



Case Size
41.5mm


SRX013P \$1400



KINETIC DIRECT DRIVE MOON PHASE, SSWR, (10BAR),
SAPPHIRE GLASS, M09B311J0, 5D88

KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, month and leap year indicator. Hour, minute, second hand.




Case Size
41.5mm

SNP129P \$1300



KINETIC PERPETUAL, THCWR, (10BAR), SAPPHIRE GLASS,
NOVAK DJOKOVIC SPECIAL EDITION, M09B311J0, 7D56




Case Size
41.5mm

SNP128P \$1300



KINETIC PERPETUAL, TSGPWR, (10BAR), SAPPHIRE GLASS,
NOVAK DJOKOVIC SPECIAL EDITION, M09B311J0, 7D56



Case Size
41.5mm

SNP126P \$1300



KINETIC PERPETUAL, TSGPWR, (10BAR), SAPPHIRE GLASS,
NOVAK DJOKOVIC SPECIAL EDITION, L0C8013J0, 7D56



Case Size
41.5mm

SNP127P \$1200



KINETIC PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS,
NOVAK DJOKOVIC SPECIAL EDITION, L0C8012J0, 7D56

THE NOVAK DJOKOVIC PREMIER SPECIAL EDITIONS

Power, brilliance and durability are the qualities that define the tennis of Novak Djokovic and that are celebrated in these new Premier Kinetic Perpetuals. Across the year, Novak plays indoors and out, on clay, grass and hard court, and by day and by night. Each dial in the four creations reflects the different conditions which Novak faces as he continues on his remarkable journey towards the status of tennis legend. Each Premier Kinetic Perpetual Novak Djokovic Special Edition watch carries Novak's initials on the case back and is offered in special boxing.

KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, month and leap year indicator. Hour, minute, second hand.



Case Size
41.5mm



SNP114P \$1200

KINETIC PERPETUAL, TSGPWR, (10BAR), SAPPHIRE GLASS,
M09B311J0, 7D56



Case Size
41.5mm



SNP113P \$1150


KINETIC PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS,
M09B311J0, 7D56

AUTOMATIC

Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second hand.



Case Size
41.5mm



SSA216J \$895

AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASEBACK, M09B311C0, 4R39



Case Size
41.5mm



SSA215J \$850

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASEBACK, M09B311J0, 4R39



Case Size
41.5mm



SSA213J-2 \$795


AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASEBACK, L0C8011J0, 4R39

CHRONOGRAPH PERPETUAL

Stopwatch measures 24 hours in 1/5th of a second increments. Perpetual Calendar adjusts automatically until February 2100. Alarm. Date and day of the week indicator. On demand month and year indicator.



Case Size
41.5mm




SPC162P \$895

CHRONOGRAPH PERPETUAL, TSGPWR, (10BAR), SAPPHIRE GLASS,
M09B311C0, 7T86



Case Size
41.5mm




SPC159P \$850

CHRONOGRAPH PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS,
M09B311J0, 7T86



Case Size
41.5mm



SPC161P-2 \$795


CHRONOGRAPH PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS,
L0C8011J0, 7T86

ANALOGUE

Hour, minute, small seconds hand.

Case Size
28.3mm**SXDG58P \$895**


ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, 28 DIAMONDS, M0SY111C0, 7N82

Case Size
28.3mm**SXDG57P \$850**


ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, 28 DIAMONDS, M0SY111J0, 7N82

Case Size
31.4mm**SRKZ58P \$795**

ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS, 10 DIAMONDS, MOTHER OF PEARL DIAL, M0W1111P0, 6G28

Case Size
31.4mm**SRKZ60P \$750**


ANALOGUE, ASGPWR, (10BAR), SAPPHIRE GLASS, 10 DIAMONDS, MOTHER OF PEARL DIAL, M0W1111K0, 6G28

Case Size
31.4mm**SRKZ61P \$695**

ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, 10 DIAMONDS, MOTHER OF PEARL DIAL, M0W1111J0, 6G28

Case Size
31.4mm**SRKZ64P \$675**

ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS, M0W1111P0, 6G28

Case Size
31.4mm**SRKZ66P \$625**

ANALOGUE, TSGPWR, (10BAR), SAPPHIRE GLASS, MOTHER OF PEARL DIAL, M0W1111C0, 6G28

CHRONOGRAPH

Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.



Case Size
37.2mm




SNDV70P \$750



CHRONOGRAPH, TSGPWR, (10BAR), SAPPHIRE GLASS,
MOTHER OF PEARL DIAL, M0W1211C0, 7T92



Case Size
37.2mm




SNDV71P \$695



CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,
MOTHER OF PEARL DIAL, M0W1211J0, 7T92



Case Size
37.2mm



SNDV66P \$750



CHRONOGRAPH, SGPWR, (10BAR), SAPPHIRE GLASS,
MOTHER OF PEARL DIAL, L0E9011P0, 7T92

KINETIC DIRECT DRIVE

Powered by the movement of the wearer, or by winding the crown. 1 month power storage with power reserve indicator. Hour, minute, second hand. Calendar.



Case Size
44.5mm



SRG017P \$995



KINETIC DIRECT DRIVE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
MOND111J0, 5D22

KINETIC G.M.T.

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand and 24 hour hand that can be set to a second time zone independently. Calendar.



Case Size
44.4mm




SUN026P \$895



KINETIC G.M.T. TGPHC.HCWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, MOND111M0, 5M85



Case Size
44.4mm



SUN015P \$695



KINETIC G.M.T. TSSHCWR, (10BAR), XL, SAPPHIRE GLASS,
EXHIBITION CASEBACK, SCREW DOWN CROWN, MOND111J0, 5M85



Case Size
44.4mm



SUN028P \$895



KINETIC G.M.T. TGPHC.GPWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, LOA2011P0, 5M85

CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. 24 hour hand. Calendar.



Case Size
44.5mm



SPC137P \$795



CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, MOND111J0, 7T04



Case Size
44.5mm



SPC135P \$795



CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, MOND111J0, 7T04

SOLAR PERPETUAL CHRONOGRAPH

Powered by all light sources. 6 month power storage with power reserve indicator. Stopwatch measures 24 hours in 1/5th of a second increments with split time facility. 24-hour alarm. Dual Time capability. Hour, minute, second hand, perpetual calendar that automatically adjusts for short months and leap years until February 2100.



Case Size
45mm



Case Size
45mm



Case Size
45mm

SSC355P \$825

SOLAR PERPETUAL CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, M0ND111J0, V198

SSC357P \$825

SOLAR PERPETUAL CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, M0ND111J0, V198

SSC359P \$795

SOLAR PERPETUAL CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, LOCE011J0, V198

SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
44.5mm



Case Size
44.5mm

SSC271P-9 \$795

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, M0ND111J9, V172

SSC274P-9 \$895

SOLAR ALARM CHRONOGRAPH, TGPHC GPWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, L01M015P9, V172

AUTOMATIC

Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second hand.



Case Size
37.7mm



SSA884J \$995



AUTOMATIC, TGPCEWR, (10BAR), XL, SAPPHIRE GLASS,
CABOCHON CROWN, EXHIBITION CASEBACK, MOR1217R0, 4R38



Case Size
37.7mm



SSA885J \$895



AUTOMATIC, TSSCEWR, (10BAR), XL, SAPPHIRE GLASS,
CABOCHON CROWN, EXHIBITION CASEBACK, MOR1217J0, 4R38

CHRONOGRAPH

Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.



Case Size
38.2mm



SNDX95P \$995



CHRONOGRAPH, TSSCEWR, (10BAR), XL, SAPPHIRE GLASS,
CABOCHON CROWN, 8 DIAMONDS, MOTHER OF PEARL DIAL,
MOR1117J0, 7T92

KINETIC

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar. Day of the week.



Case Size
37.2mm



SKA881P \$795



KINETIC, SSWR, (10BAR), XL, SAPPHIRE GLASS, 11 DIAMONDS,
MOTHER OF PEARL DIAL, EXHIBITION CASEBACK,
MOXX111J0, 5M82



Case Size
37.2mm




SKA878P \$775



KINETIC, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,
MOTHER OF PEARL DIAL, EXHIBITION CASEBACK,
MOXX112R0, 5M82



Case Size
37.2mm



SKA879P \$650



KINETIC, SSWR, (10BAR), XL, SAPPHIRE GLASS,
MOTHER OF PEARL DIAL, EXHIBITION CASEBACK,
MOXX111J0, 5M82

KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, month and leap year indicator. Hour, minute, second hand.



Case Size
46.3mm

SNP120P \$1350

KINETIC PERPETUAL, THC.MGPWR, (10BAR), XL, SAPPHIRE GLASS, R02L012P0, 7D48

KINETIC DIRECT DRIVE

Powered by the movement of the wearer, or by winding the crown. 1 month power storage with power reserve indicator. Hour, minute, second hand. Calendar. Day of the week.



Case Size
46.3mm

SRH021P \$1200

KINETIC DIRECT DRIVE, THCWR, (10BAR), XL, SAPPHIRE GLASS, M0T6111J0, 5D44



Case Size
46.3mm

SRH024P \$1200

KINETIC DIRECT DRIVE, THC.MGPWR, (10BAR), XL, SAPPHIRE GLASS, R02L011P0, 5D44

YACHTING TIMER

Stopwatch measures 12 hours in 1/5th of a second increments with split time. Preset countdown timers for 5, 6, and 10 minutes. Manual set Countdown timer up to 15 minutes in 1 minute increments. Automatic Start stopwatch function after timer reaches zero. 2 alarms – 1 x single time 12 hourly. Regular Alarm – will sound at the same time everyday within a 24 hour period. Dual Time capability.



Case Size
47mm

SPC145P \$895

YACHTING TIMER, THCWR, (10BAR), XL, SAPPHIRE GLASS, M0T6111J0, 7T84

ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
47mm

SNAF39P \$795

ALARM CHRONOGRAPH, THCWR, (10BAR), XL, SAPPHIRE GLASS, M0T5111J0, 7T62

CHRONOGRAPH

Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.




Case Size
39.1mm



SNDV64P \$1300   
CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS,
18 DIAMONDS, M09K211C0, 7T92



Case Size
39.1mm



SNDV65P \$1200   
CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,
18 DIAMONDS, M09K211J0, 7T92

HI-BEAT AUTOMATIC

Powered by the movement of the wearer or by winding the crown. 36,000 vibrations per hour (10 beats per second). Approximately 55 hours power reserve. Accuracy +15/-10 seconds a day average. Hour, minutes, second hand. Calendar.



Case Size
48.2mm



SBEX001 \$11000



HI-BEAT AUTOMATIC, ATIHICDCWR, (100BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, ADDITIONAL SILICON STRAP, LIMITED EDITION 700 PIECES WORLDWIDE, S01G001H9, 8L55

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 50 hours power reserve. Accuracy +15/-10 seconds a day average. Hour, minute, second hand. Calendar.



Case Size
48.2mm



SBDX014 \$6000



AUTOMATIC, TGP.TIHCCWR, (100BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, R01X011P9, 8L35

PROFESSIONAL DIVER'S

Hour, minute, second hand. Day of the week. Calendar.



Case Size
49.3mm



S23619J \$5500



PROFESSIONAL DIVER'S, THC.TIHCCWR, (100BAR), DIVER'S, XL, SAPPHIRE GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R00D011N0, 7C46

KINETIC G.M.T.

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand and 24 hour hand that can be set to a second time zone independently. Calendar.



Case Size
47.5mm



SUN019P \$1100



KINETIC G.M.T. SSWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN & BUTTON, ONE WAY ROTATING BEZEL, MOVY111J0, 5M85



Case Size
47.5mm



SUN023P \$995



KINETIC G.M.T. MSSHCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN & BUTTON, ONE WAY ROTATING BEZEL, R01Y011M0, 5M85

KINETIC

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar.



Case Size
47.5mm



SUN045P \$995




KINETIC G.M.T. HC.GPWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, SPECIAL EDITION, R01Y011M0, 5M85



Special Edition 50th Anniversary Diver's has a Special Edition engraved case back and is offered in custom boxing.



Case Size
43mm



SKA371P-2 \$695



KINETIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, 4KR3JZ, 5M62

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Accuracy +/- 25 seconds per day average. Hour, minute and second hand. Calendar. Day of week.



Case Size
50.2mm



SRP655K \$995



AUTOMATIC, THC MSSCEWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, SPECIAL EDITION, R02Y011J0, 4R36



Case Size
50.2mm



SRP653K \$995



AUTOMATIC, THC MSSCEWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, SPECIAL EDITION, R02Y011J0, 4R36



Special Edition 50th Anniversary Diver's has a Special Edition engraved case back and is offered in custom boxing.

AUTOMATIC

Powered by the movement of the wearer. Approximately 36 hours energy storage. Accuracy +/- 25 seconds a day average.



Case Size
46.4mm



SRP639K \$750




AUTOMATIC, THCWR, (20BAR), DIVER'S, XL, HARDEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R002031J0, 4R36

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size
43.7mm



SNE373P \$525



SOLAR ANALOGUE, HCWR, (20BAR), DIVER'S, XL, HARDEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R01V011N0, V157



Case Size
43.7mm




SNE383P-9 \$495



SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R01V011N0, V157



Case Size
43.7mm



SNE293P-2 \$450



SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R01V011J0, V157



Case Size
42mm



SNE107P-2 \$495



SOLAR, SSWR, (20BAR), DIVER'S, XL, HARDEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, DA3H1JR, V158

KINETIC G.M.T.


Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand and 24 hour hand that can be set to a second time zone independently. Calendar.



SUN047P \$695



KINETIC G.M.T. AHCWR, (10BAR), XL, HARDEX GLASS, SCREW DOWN CROWN, ROTATING BEZEL, EXHIBITION CASEBACK, MOXL111M0, 5M85



SUN049P \$650



KINETIC G.M.T. THCWR, (10BAR), XL, HARDEX GLASS, SCREW DOWN CROWN, ROTATING BEZEL, EXHIBITION CASEBACK, MOXL111J0, 5M85



SUN051P \$595



KINETIC G.M.T. SSWR, (10BAR), XL, HARDEX GLASS, SCREW DOWN CROWN, ROTATING BEZEL, EXHIBITION CASEBACK, LOE8011J0, 5M85



SUN053P \$595



KINETIC G.M.T. SSWR, (10BAR), XL, HARDEX GLASS, SCREW DOWN CROWN, ROTATING BEZEL, EXHIBITION CASEBACK, LOE8012J0, 5M85

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.



Case Size
46.1mm



SSC261P \$995



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,
ROTATING BEZEL, M0VY221J0, V175

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.



Case Size
44mm



SSC347P \$595



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
ROTATING INNER RING, M0JT334J0, V176



Case Size
44mm



SSC349P \$595



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
ROTATING INNER RING, M0JT334J0, V176



Case Size
44mm



SSC351P \$550



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
ROTATING INNER RING, R030011J0, V176

SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
42mm



SSC295P \$550



SOLAR ALARM CHRONOGRAPH, HCWR, (10BAR), XL,
HARDLEX GLASS, ROTATING INNER RING, LODG013N0, V172



Case Size
42mm



SSC293P-2 \$495



SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL,
HARDLEX GLASS, ROTATING INNER RING, LODG011J0, V172

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.




Case Size
39.2mm



SRP696J \$850
AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, M0XB111R0, 4R36
MATCHING MODEL No SRP882J




Case Size
39.2mm



SRP694J \$775
AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, M0XB111C0, 4R36
MATCHING MODEL No SRP884J



Case Size
39.2mm



SRP691J \$695 **ADVERTISED MODEL**
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, M0XB111J0, 4R36
MATCHING MODEL No SRP887J



Case Size
39.2mm



SRP693J \$695
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, M0XB111J0, 4R36




Case Size
34.2mm



SRP880J \$850
AUTOMATIC, SGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, M0XC117P0, 4R36



Case Size
34.2mm



SRP882J \$795
AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, M0XC111R0, 4R36
MATCHING MODEL No SRP696J




Case Size
34.2mm



SRP884J \$750
AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, M0XC111C0, 4R36
MATCHING MODEL No SRP694J



Case Size
34.2mm



SRP887J \$650
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, M0XC117J0, 4R36
MATCHING MODEL No SRP691J

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size
41mm




SSA262J \$875



AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, MOVJ111R0, 4R38



Case Size
41mm



SSA258J \$795



AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, MOVJ113Z0, 4R38



Case Size
41mm



SSA257J \$725



AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, MOVJ113J0, 4R38



Case Size
41mm




SRP534J \$775



AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, MOVJ111J0, 4R36



Case Size
41mm




SRP527J \$675



AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, MOVJ111J0, 4R36



Case Size
41mm



SRP529J \$675



AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASE BACK, MOVJ111J0, 4R36


SOLAR PERPETUAL CHRONOGRAPH

Powered by all light sources. 6 month power storage with power reserve indicator. Stopwatch measures 24 hours in 1/5th of a second increments with split time facility. 24-hour alarm. Dual Time capability. Hour, minute, second hand, perpetual calendar that automatically adjusts for short months and leap years until February 2100.



Case Size
44mm

6



SSC377P-9 \$725



SOLAR PERPETUAL CHRONOGRAPH, TSSHC.MHCWR, (10BAR), XL,
SAPPHIRE GLASS, CABOCHON CROWN, MOXS111N9, V198



Case Size
44mm

6



SSC394P \$695



SOLAR PERPETUAL CHRONOGRAPH, SGPWR, (10BAR), XL,
SAPPHIRE GLASS, CABOCHON CROWN, MOXS111K0, V198



Case Size
44mm

6



SSC376P-9 \$695




SOLAR PERPETUAL CHRONOGRAPH, TSSGPWR, (10BAR), XL,
SAPPHIRE GLASS, CABOCHON CROWN, MOXS111C9, V198



Case Size
44mm

6



SSC375P-9 \$650



SOLAR PERPETUAL CHRONOGRAPH, SSWR, (10BAR), XL,
SAPPHIRE GLASS, CABOCHON CROWN, MOXS111J9, V198


SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
40.6mm

6



SSC199P-9 \$750




SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL,
SAPPHIRE GLASS, CABOCHON CROWN, M0BC112E9, V172



Case Size
40.6mm

6



SSC198P-9 \$695



SOLAR ALARM CHRONOGRAPH, SSGPWR, (10BAR), XL,
SAPPHIRE GLASS, CABOCHON CROWN, 34P0XB, V172

KINETIC

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar. Day of the week.



Case Size
43mm



SRN066P-9 \$695

KINETIC, TQPHC.MHCWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, EXHIBITION CASEBACK, MOXS111N9, 5M84



Case Size
43mm



SRN063P-9 \$595

KINETIC, SSWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, EXHIBITION CASEBACK, MOXS111J9, 5M84

SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size
29mm



SUT242P-9 \$850

SOLAR ANALOGUE, TSSGP.MGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, 24 DIAMONDS, MOTHER OF PEARL DIAL, MOXT111K9, V137



Case Size
29mm



SUT240P-9 \$795

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, 24 DIAMONDS, MOTHER OF PEARL DIAL, MOXT111C9, V137



Case Size
29mm



SUT239P-9 \$725

SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, 24 DIAMONDS, MOTHER OF PEARL DIAL, MOXT111J9, V137


SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
41.5mm

6



SSC314P-9 \$995


100%
SS

SOLAR ALARM CHRONOGRAPH, SGPPWR, (10BAR), SAPPHIRE GLASS, 22 DIAMONDS, CABOCHON CROWN, MOTA111K9, V172



Case Size
41.5mm

6



SSC312P-9 \$950

100%
SS

SOLAR ALARM CHRONOGRAPH, TSSGPWR, (10BAR), SAPPHIRE GLASS, 22 DIAMONDS, CABOCHON CROWN, MOTA111C0, V172



Case Size
41.5mm

6



SSC218P \$695

100%
SS

SOLAR ALARM CHRONOGRAPH, TGP MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA112D0, V172



Case Size
41.5mm

6



SSC265P \$695

100%
SS

SOLAR ALARM CHRONOGRAPH, TSSHC.MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA112E0, V172



Case Size
41.5mm

6



SSC196P-9 \$650

100%
SS

SOLAR ALARM CHRONOGRAPH, SGPPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111K9, V172



Case Size
41.5mm

6



SSC194P-9 \$650

100%
SS

SOLAR ALARM CHRONOGRAPH, TSSGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111C9, V172



Case Size
41.5mm

6



SSC288P \$650

100%
SS

SOLAR ALARM CHRONOGRAPH, TSGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111C0, V172



Case Size
41.5mm

6



SSC193P-9 \$595

100%
SS

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111J9, V172

SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.

ADVERTISED MODEL

Case Size
41.5mm

Case Size
41.5mm

6

6

SSC396P \$695



SOLAR ALARM CHRONOGRAPH, THC.MGPWR, (10BAR),
SAPPHIRE GLASS, CABOCHON CROWN, L0AC014P0, V172

SSC220P \$695



SOLAR ALARM CHRONOGRAPH, SGPWR, (10BAR),
SAPPHIRE GLASS, CABOCHON CROWN, L0AC012P0, V172

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Case Size
41.5mm

Case Size
41.5mm

Case Size
41.5mm

10

10

10

SNE406P \$595



SOLAR ANALOGUE, TGP.MHCWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, M0TA112D0, V157

SNE398P-9 \$550



SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, M0TA111C9M V157

SNE395P-9 \$495



SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, M0TA111J9, V157

10

SNE397P-9 \$475



SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, L0AC012J9, V157

SOLAR ANALOGUE


Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar and day of the week.

ADVERTISED MODEL



Case Size
28mm

6



SUT270P \$995




SOLAR ANALOGUE, TSSGP MHCWR, (10BAR), SAPPHIRE GLASS, 26 DIAMONDS, CABOCHON CROWN, MOW5112D0, V137



Case Size
28mm

6



SUT268P \$595



SOLAR ANALOGUE, TGP MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOW5112D0, V137



Case Size
28mm

6



SUT172P-9 \$895




SOLAR ANALOGUE, TSSGP MGPWR, (10BAR), SAPPHIRE GLASS, 26 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, MOW5112K9, V137



Case Size
28mm

6



SUT170P-9 \$795




SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, 26 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, MOW5112C9, V137



Case Size
28mm

6



SUT244P-9 \$550




SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, 5 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, MOW5112C9, V137



Case Size
28mm

6



SUT243P-9 \$495



SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, 5 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, MOW5112J9, V137

KINETIC


Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar.



Case Size
44.2mm

SKA683P \$525

KINETIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, MOCA324J0, 5M82



Case Size
44.2mm

SKA685P \$525

KINETIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, MOCA324J0, 5M82



Case Size
44.2mm

SKA687P \$595

KINETIC, HCWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, MOCA324N0, 5M82



Case Size
44.2mm

SKA691P \$495

KINETIC, HCWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, LOEK012N0, 5M82



Case Size
41.6mm

SKA693P \$495

KINETIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, MOXP111J0, 5M82



Case Size
41.6mm

SKA695P \$495

KINETIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, MOXP111J0, 5M82



Case Size
42.5mm

SMY149P \$495

KINETIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, MOEV324J0, 5M83

The SEIKO range of diver's watches has been incorporated into the Prospex Collection on page 19 to 23.

Prospex is a collection of watches that meet the challenge of delivering precision and reliability in the most adverse conditions.

With this in mind, SEIKO diver's watches are all manufactured to meet or exceed ISO 6425, and are perfectly suited to wear the Prospex nameplate.



PROSPEX




SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
42.5mm

6



SSC143P-9 \$625



SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL,
HARDEX GLASS, M0C0225E9, V172



Case Size
42.5mm

6



SSC142P \$595




SOLAR ALARM CHRONOGRAPH, TSPWR, (10BAR), XL,
HARDEX GLASS, M0C0224C0, V172



Case Size
42.5mm

6



SSC147P \$575




SOLAR ALARM CHRONOGRAPH, THCWR, (10BAR), XL,
HARDEX GLASS, M0C0224J0, V172



Case Size
42.5mm

6



SSC141P \$550



SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL,
HARDEX GLASS, M0C0224J0, V172



Case Size
42.8mm

6



SSC139P-9 \$695




SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL,
HARDEX GLASS, M0SA112E9, V172



Case Size
42.8mm

6



SSC138P-9 \$650




SOLAR ALARM CHRONOGRAPH, SSGPWR, (10BAR), XL,
HARDEX GLASS, M0SA111C9, V172



Case Size
44.1mm

6



SSC299P \$650



SOLAR ALARM CHRONOGRAPH, TSSHWR, (10BAR), XL,
HARDEX GLASS, ONE WAY ROTATING BEZEL, M0EV424J0, V172



Case Size
44.1mm

6



SSC303P \$595




SOLAR ALARM CHRONOGRAPH, TSSHWR, (10BAR), XL,
HARDEX GLASS, ONE WAY ROTATING BEZEL, L0DJ011J0, V172

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.



6



SSC392P-9 \$695

SOLAR CHRONOGRAPH, TTIGP.TIWR, (10BAR), XL, HARDLEX GLASS, M0WN211X9, V176



6



SSC367P \$625

SOLAR CHRONOGRAPH, ATIWR, (10BAR), XL, HARDLEX GLASS, M0WN211T0, V176



6



SSC363P \$625

SOLAR CHRONOGRAPH, ATIWR, (10BAR), XL, HARDLEX GLASS, M0WN211T0, V176




SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.



6



SSC320P-9 \$595

SOLAR CHRONOGRAPH, SGPWR, (10BAR), HARDLEX GLASS, M0V1111K9, V175



6




SSC317P-9 \$550

SOLAR CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS, M0V1111J9, V175



6




SSC389P-9 \$550

SOLAR CHRONOGRAPH, THCWR, (10BAR), HARDLEX GLASS, M0XW111J9, V175



6



SSC387P-9 \$525

SOLAR CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS, M0XW111J9, V175



ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hour alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
41mm



SNAF07P \$595



ALARM CHRONOGRAPH, HCWR, (10BAR), XL, HARDEX GLASS,
M0CC411N0, 7T62

CHRONOGRAPH

Calibre 7T92 – Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.

Calibre 7T04 – Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. 24 hour hand. Calendar.



Case Size
44.8mm




SNDG57P \$550



CHRONOGRAPH, SSWR, (10BAR), XL, HARDEX GLASS,
ONE WAY ROTATING BEZEL, M0EV524J0, 7T92



Case Size
44.8mm




SNDG61P \$495



CHRONOGRAPH, MHCWR, (10BAR), XL, HARDEX GLASS,
ONE WAY ROTATING BEZEL, L0EG012N0, 7T92



Case Size
44.8mm



SNDG57P-2 \$475



CHRONOGRAPH, SSWR, (10BAR), XL, HARDEX GLASS,
ONE WAY ROTATING BEZEL, L0EG011J0, 7T92



Case Size
42mm



SPC151P \$495




CHRONOGRAPH, SSWR, (10BAR), HARDEX GLASS,
M021224J0, 7T04

CHRONOGRAPH

Stopwatch measures 100 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar.



Case Size
44.6mm



SPC163P \$495



CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
MOEV214J0, 7T85



Case Size
44.6mm



SPC167P \$495



CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
MOEV214J0, 7T85



Case Size
44.6mm



SPC167P-2 \$450



CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
LOBB013J0, 7T85

CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. 24 hour hand. Calendar.



Case Size
41mm



SSB156P \$495



CHRONOGRAPH, SSGPWR, (10BAR), HARDLEX GLASS,
MOWS111J0, 6T63



Case Size
41mm




SSB155P \$450



CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
MOWS111J0, 6T63



Case Size
42.3mm



SSB145P \$395



CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
MOEA421J0, 6T63



Case Size
41mm



SSB063P \$395



CHRONOGRAPH, SSHCWR, (10BAR), HARDLEX GLASS,
MOCW311J0, 6T63

SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function.

Calibre V157 – 10 month power reserve. Hour, minute, second hands. Calendar.

Calibre V158 – 10 month power reserve. Hour, minute, second hands. Calendar, Day of the week.



Case Size
39.8mm



Case Size
39.8mm

SNE382P-9 \$595

SOLAR ANALOGUE, ATIW, (10BAR), XL, HARDLEX GLASS,
M0WN111X0, V157

SNE379P \$575

SOLAR ANALOGUE, ATIW, (10BAR), XL, HARDLEX GLASS,
M0WN111X0, V157
MATCHING MODEL No. SUT203P



Case Size
43mm



Case Size
43mm



Case Size
43mm

SNE368P-9 \$425

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,
M0JA331K9, V158

SNE366P \$425

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,
M0JA331K0, V158
MATCHING MODEL No. SUT164P

SNE364P \$425

SOLAR ANALOGUE, TSGPWR, (10BAR), XL, HARDLEX GLASS,
M0JA331C0, V158
MATCHING MODEL No. SUT162P



Case Size
39.4mm



Case Size
39.4mm



Case Size
38.4mm

SNE252P \$475

SOLAR ANALOGUE, TGP.MHCWR, (10BAR), XL, HARDLEX GLASS,
M0SJ112N0, V157

SNE291P \$395

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0SJ111J0, V157

SNE125P-9 \$495

SOLAR ANALOGUE, THCWR, (10BAR), HARDLEX GLASS,
M02M212E9, V157

SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function. 10 month power reserve. Hour, minute, second hand. Calendar, Day of the week.



Case Size
44.6mm

10



SNE394P \$475

100% \$S NEW

SOLAR ANALOGUE, TSGPWR, (10BAR), XL, HARDEX GLASS,
M0E6428C0, V158



Case Size
44.6mm

10



SNE391P \$395

100% \$S NEW

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDEX GLASS,
M0E6428J0, V158



Case Size
44.6mm

10



SNE393P \$395

100% \$S NEW

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDEX GLASS,
M0E6428J0, V158



Case Size
44.6mm

10



SNE393P-2 \$375

100% \$S NEW

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDEX GLASS,
L0EC011J0, V158



Case Size
39.6mm

10



SNE094P \$395

100% \$S

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDEX GLASS,
M0C1111C0, V158



Case Size
39.6mm

10



SNE098P-9 \$395

100% \$S

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDEX GLASS,
35C4XZ, V158



Case Size
39.6mm

10



SNE095P \$325

100% \$S

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDEX GLASS,
35C4JZ, V158



Case Size
39.6mm

10



SNE095P-2 \$325

100% \$S

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDEX GLASS,
L00Y011J0, V158


SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size
41.4mm

10


**SNE390P \$450**

SOLAR ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
M0E0721K0, V157
MATCHING MODEL No. SUT232P



Case Size
41.4mm

10

**SNE404P-9 \$450**

SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS,
M0E0721C9, V157



Case Size
41.4mm

10

**SNE385P \$375**

SOLAR ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
M0E0721J0, V157
MATCHING MODEL No. SUT227P



Case Size
41.4mm

10

**SNE387P \$375**

SOLAR ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
M0E0721J0, V157


SOLAR ANALOGUE

Powered by all light sources. 12 month power reserve. Hour, minute hands.



Case Size
38mm

12


**SUP878P-9 \$275**

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,
L011024K9, V115



Case Size
28.5mm



12

**SUP880P-9 \$275**

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS, CABOCHON CROWN,
L0CZ011K9, V115
MATCHING MODEL No. SUP250P-9

ANALOGUE

Hour minute, second hand (model dependant). Calendar/Day of the week (model dependant).


Case Size
43.7mm**SUR136P \$495**ANALOGUE, TSGPWR, (10BAR), XL, HARDLEX GLASS,
M0PC421R0, 6N76Case Size
43.7mm**SUR134P \$475**ANALOGUE, TSGPWR, (10BAR), XL, HARDLEX GLASS,
M0PC421C0, 6N76Case Size
43.7mm**SUR127P \$395**ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0PC421J0, 6N76Case Size
43.7mm**SUR138P \$475**ANALOGUE, TGP MHCWR, (10BAR), XL, HARDLEX GLASS,
L0E4012P0, 6N76Case Size
40.3mm**SUR101P \$475**ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
M0WS211C0, 6N76Case Size
40.3mm**SUR099P \$425**ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
M0WS211J0, 6N76Case Size
36.7mm**SGGA62P \$395**ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS,
33X9KZ, 7N43Case Size
36.7mm**SGGA61P \$375**ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
33X9LZ, 7N43Case Size
36.7mm**SGG717P \$350**ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
33X9JZ, 7N43

ANALOGUE


Hour minute, second hand (model dependant). Calendar/Day of the week (model dependant).



SGEH45P \$375
ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
M0BN731J0, 7N42




SGEH47P \$375
ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
M0BN731J0, 7N42




SGEH49P \$375
ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
M0BN731J0, 7N42



SGEH49P-2 \$375
ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
L0ED011J0, 7N42



SGEH42P \$395
ANALOGUE, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,
M0E0821C0, 7N42
MATCHING MODEL No. SXDG64P



SGEH43P \$325
ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
4LR1JE, 7N42
MATCHING MODEL No. SXDG65P



SGG480PS \$295
ANALOGUE, SGPWR, HARDEX GLASS,
4E91KZ, 7N43

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size
46mm

Limited Edition Automatic has an exhibition caseback with Limited Edition in the glass. Offered in a special Limited Edition Box.

SRP721K \$550

AUTOMATIC, HCWR, (10BAR), XL, HARDEX GLASS, LIMITED EDITION, ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK, L0B0014N0, 4R36



Case Size
46mm

SRP680K \$495

AUTOMATIC, THC MGPWR, (10BAR), XL, HARDEX GLASS, ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK, R00C011P0, 4R36



Case Size
46mm

SRP675K \$450

AUTOMATIC, THCWR, (10BAR), XL, HARDEX GLASS, ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK, 4K32JB, 4R36



Case Size
46mm

SRP677K-2 \$450

AUTOMATIC, THCWR, (10BAR), XL, HARDEX GLASS, ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK, R00C013J0, 4R36



Case Size
43.3mm

SRP707K \$550

AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS, EXHIBITION CASEBACK, M0XR111J0, 4R36



Case Size
43.3mm

SRP713K \$495

AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS, EXHIBITION CASEBACK, L07N012J0, 4R36



Case Size
43.3mm

SRP715K \$495


AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS, EXHIBITION CASEBACK, L07N011J0, 4R36

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.




Case Size
44mm



SRP553K \$395



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,
ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK,
M0SX211J0, 4R36



Case Size
41.7mm



SNZG13K \$395



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASE BACK, 300Z1JM, 7S36



Case Size
40.2mm



SNZE19K \$425



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,
ONE WAY ROTATING BEZEL, EXHIBITION CASE BACK,
4K03JA, 7S36

AUTOMATIC

Calibre 4R35/4R39 – Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second hand. Calendar (model dependant).

Calibre 7S36/7S26 – Approximately 36 hours energy storage. Accuracy +/- 25 seconds a day average. Hour, minute, second hand. Calendar and day of the week.



Case Size
42mm



SRP704K \$595

AUTOMATIC, TSGPWR, (10BAR), HARDEX GLASS,
EXHIBITION CASEBACK, MOWS411C0, 4R35



Case Size
42mm




SRP703K \$525

AUTOMATIC, SSWR, (10BAR), HARDEX GLASS,
EXHIBITION CASEBACK, MOWS411J0, 4R35



Case Size
42mm



SRP701K \$525

AUTOMATIC, SSWR, (10BAR), HARDEX GLASS,
EXHIBITION CASEBACK, MOWS411J0, 4R35



Case Size
42mm




SRP706K \$550

AUTOMATIC, SGPWR, (10BAR), HARDEX GLASS,
EXHIBITION CASEBACK, L07H014P0, 4R35




Case Size
42mm




SRP705K \$495

AUTOMATIC, SSWR, (10BAR), HARDEX GLASS,
EXHIBITION CASEBACK, L07H012J0, 4R35



Case Size
40.5mm



SSA265K \$695

AUTOMATIC, SSWR, (5BAR), HARDEX GLASS,
EXHIBITION CASEBACK, MOWS311J0, 4R39



Case Size
40.4mm




SNZE32K \$425

AUTOMATIC, SGPWR, (5BAR), XL, HARDEX GLASS,
EXHIBITION CASE BACK, 3368KG, 7S36



Case Size
43.4mm




SNKM92K \$295

AUTOMATIC, SSGPWR, (5BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0VD111Z0, 7S26



Case Size
43.4mm



SNKM87K \$250

AUTOMATIC, SSWR, (5BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0VD111J0, 7S26




AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size
33.4mm




SSA860K \$795

AUTOMATIC, ASGPWR, (5BAR), HARDEX GLASS,
CABOCHON CROWN, MOT4312K0, 4R38



Case Size
33.4mm




SSA862K \$775

AUTOMATIC, ASGPWR, (5BAR), HARDEX GLASS,
CABOCHON CROWN, MOT4312J0, 4R38



Case Size
33.4mm



SSA863K \$695

AUTOMATIC, SSWR, (5BAR), HARDEX GLASS,
CABOCHON CROWN, MOT4312J0, 4R38



CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments. Hour, minute and second hand. Calendar.



Case Size
35mm




SRW874P \$595

CHRONOGRAPH, SGPWR, (5BAR), HARDEX GLASS,
CABOCHON CROWN, M0R6412K0, 7T12



Case Size
35mm




SRW875P \$525

CHRONOGRAPH, SSWR, (5BAR), HARDEX GLASS,
CABOCHON CROWN, M0R6412J0, 7T12



Case Size
35mm



SRW875P-2 \$475

CHRONOGRAPH, SSWR, (5BAR), HARDEX GLASS,
CABOCHON CROWN, L0EF011J0, 7T12



SOLAR ANALOGUE

Powered by all light sources. Hour, minute, second hand. Calendar. Day of the week (model dependent).



Case Size
29.7mm

6




SUT216P \$595
SOLAR ANALOGUE, SGPWR, (10BAR),
HARDLEX GLASS, 10 DIAMONDS,
MOTHER OF PEARL DIAL, MOV2117K0, V137



Case Size
29.7mm

6



SUT214P \$595
SOLAR ANALOGUE, TGP.MSSGPWR, (10BAR),
HARDLEX GLASS, 10 DIAMONDS,
MOTHER OF PEARL DIAL, MOV2117C0, V137



Case Size
30.1mm

6



SUT142P \$425
SOLAR ANALOGUE, SGPWR, (10BAR),
HARDLEX GLASS, MOV2111K0, V137
MATCHING MODEL No SNE342P



Case Size
30.1mm

6



SUT128P \$425
SOLAR ANALOGUE, TGP.MSSGPWR, (10BAR),
HARDLEX GLASS, MOV2111C0, V137



Case Size
30.3mm

6



SUT203P \$575
SOLAR ANALOGUE, AT1WR, (10BAR), XL, HARDLEX GLASS,
MOWP111X0, V137
MATCHING MODEL No SNE379P



Case Size
28.9mm

2



SUT122P \$495
SOLAR ANALOGUE, GPHCWR, (10BAR), XL, HARDLEX GLASS,
MOPD212D0, V187



Case Size
28.9mm

2




SUT022P \$425
SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDLEX GLASS,
MONL112E9, V187



Case Size
28.5mm

6



SUT164P \$425
SOLAR ANALOGUE, SGPWR, (10BAR), XL,
HARDLEX GLASS, MOSZ411K0, V138
MATCHING MODEL No SNE366P



Case Size
28.5mm

6



SUT162P \$425
SOLAR ANALOGUE, TSGPWR, (10BAR), XL,
HARDLEX GLASS, MOSZ411C0, V138
MATCHING MODEL No SNE364P



Case Size
28.5mm

6



SUT159P \$350
SOLAR ANALOGUE, SSWR, (10BAR), XL,
HARDLEX GLASS, MOSZ411J0, V138
MATCHING MODEL No SNE359P



Case Size
28.5mm

6



SUT164P-2 \$375
SOLAR ANALOGUE, SGPWR, (10BAR), XL,
HARDLEX GLASS, L02J015K0, V138
MATCHING MODEL No SNE366P-2

SOLAR ANALOGUE

Powered by all light sources. 6 months power reserve. Hour, minute, second hand. Calendar.



Case Size
29mm



SUT212P-9 \$495

SOLAR ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
M0F3312K9, V137



Case Size
29mm




SUT210P-9 \$495

SOLAR ANALOGUE, TSSGPWR, (5BAR), HARDLEX GLASS,
M0F3312C9, V137



Case Size
29.1mm




SUT232P \$450

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
M0K3221K0, V137
MATCHING MODEL No. SNE390P



Case Size
29.1mm



SUT230P \$450

ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS,
M0K3221C0, V137



Case Size
29.1mm



SUT227P \$375

ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
M0K3221J0, V137
MATCHING MODEL No. SNE385P



SOLAR ANALOGUE

Powered by all light sources.

Calibre V115 – 12 month power reserve. Hour, minute hands.

Calibre V137 – 6 months power reserve. Instant start and low energy warning. Hour, minute, second hand. Calendar.



Case Size
27.4mm

12



SUP282P \$575

WR

TI

NEW

ANALOGUE, TIGPTIWR, HARDEX GLASS,
MOWP212K0, V115



Case Size
27.4mm

12



SUP280P \$595

WR

TI


NEW

ANALOGUE, GPTI TIWR, HARDEX GLASS,
MOTHER OF PEARL DIAL, MOWP211X0, V115



Case Size
27.4mm

12



SUP277P \$495

WR

TI


NEW

ANALOGUE, ATIWR, HARDEX GLASS,
MOWP211T0, V115



Case Size
32.5mm

6



SUT158P \$475

WR

SS

SOLAR ANALOGUE, SGPWR, HARDEX GLASS,
CABOCHON CROWN, MOWA211K0, V137



Case Size
32.5mm

6



SUT154P \$475

WR

SS

SOLAR ANALOGUE, SSGPWR, HARDEX GLASS,
CABOCHON CROWN, MOWA211C0, V137



Case Size
32.5mm

6



SUT156P \$495

WR


SS

SOLAR ANALOGUE, SSGPWR, HARDEX GLASS,
CABOCHON CROWN, MOWA211R0, V137



Case Size
27mm

6



SUT236P \$495

WR

SS

NEW

ANALOGUE, SGPWR, HARDEX GLASS,
MOWA212K0, V137



Case Size
27mm

6



SUT234P \$495

WR

SS

NEW

ANALOGUE, SSGPWR, HARDEX GLASS,
MOWA211C0, V137



Case Size
27mm

6



SUT233P \$425

WR

SS

NEW

ANALOGUE, SSWR, HARDEX GLASS,
MOWA211J0, V137



Case Size
27mm

6



SUT238P \$395

WR

SS

NEW

ANALOGUE, SGPWR, HARDEX GLASS,
L02S012K0, V137


SOLAR ANALOGUE

Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hands.



Case Size
26.5mm

12



SUP290P-9 \$495




ANALOGUE, SSGPWR, WR, HARDEX GLASS, 36 CRYSTALS,
MOTHER OF PEARL DIAL, M0WC212K9, V115



Case Size
26.5mm

12



SUP288P-9 \$495




ANALOGUE, SSGPWR, WR, HARDEX GLASS, 32 CRYSTALS,
MOTHER OF PEARL DIAL, M0WC212C9, V115



Case Size
26.5mm

12



SUP287P-9 \$450




ANALOGUE, SSWR, WR, HARDEX GLASS, 32 CRYSTALS,
MOTHER OF PEARL DIAL, M0WC212J9, V115



Case Size
15mm

12



SUP276P-9 \$450




SOLAR ANALOGUE, SGPWR, HARDEX GLASS,
M0WY112K9, V116



Case Size
15mm

12



SUP274P-9 \$450




SOLAR ANALOGUE, TSSGPWR, HARDEX GLASS,
M0WY112C9, V116



Case Size
15mm

12



SUP272P-9 \$450




SOLAR ANALOGUE, TSSGPWR, HARDEX GLASS,
M0WY112C9, V116



Case Size
27.9mm

12



SUP214P \$395




SOLAR ANALOGUE, SSGPWR, HARDEX GLASS, 32 CRYSTALS,
MOTHER OF PEARL DIAL, M0N722J0, V115



Case Size
27.9mm

12



SUP216P \$450




SOLAR ANALOGUE, SSGPWR, HARDEX GLASS, 32 CRYSTALS,
MOTHER OF PEARL DIAL, M0N722K0, V115



Case Size
18mm

12



SUP250P-9 \$275



SOLAR ANALOGUE, SGPWR, HARDEX GLASS, CABOCHON CROWN,
L02J026K9, V115
MATCHING MODEL No. SUP880P-9

ANALOGUE

Hour, minute and second hand. Calendar (model dependant).



Case Size
29.2mm




SXDG64P \$395



ANALOGUE, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,
M0S2S11J0, 7N82
MATCHING MODEL No. SGEH42P



Case Size
29.2mm



SXDG65P \$325



ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
L02J018J0, 7N82
MATCHING MODEL No. SGEH43P



Case Size
29.6mm




SRZ450P \$495



ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, M0XJ112K0, 7N01



Case Size
29.6mm



SRZ448P \$550



ANALOGUE, TSSGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, M0XJ112R0, 7N01



Case Size
29.6mm



SRZ447P \$425



ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, M0XJ112J0, 7N01



Case Size
31.2mm



SRZ440P \$495



ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
M0R6312K0, 7N01



Case Size
31.2mm



SRZ438P \$495



ANALOGUE, TSSGPWR, (5BAR), HARDLEX GLASS,
M0R6312C0, 7N01



Case Size
31.2mm



SRZ437P \$425



ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
M0R6312J0, 7N01

ANALOGUE

Hour, minute and second hand.



Case Size
27.5mm

SRZ402P \$495



ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
11 CRYSTALS, CABOCHON CROWN, M0T3112K0, 7N01



Case Size
27.5mm

SRZ400P \$495



ANALOGUE, TSSGPWR, (5BAR), HARDLEX GLASS,
11 CRYSTALS, CABOCHON CROWN, M0T3112R0, 7N01



Case Size
27.5mm

SRZ399P \$450



ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS,
CABOCHON CROWN, M0T3112J0, 7N01

ANALOGUE

Hour, minute and second hand. Calendar (model dependant).



Case Size
30.1mm




SRZ442P \$595



ANALOGUE, TSSGP.MGPWR, HARDEX GLASS, 45 CRYSTALS, CABOCHON CROWN, M0WR112K0, 7N01



Case Size
30.1mm




SRZ444P \$595



ANALOGUE, TSSGP.MGPWR, HARDEX GLASS, 45 COLOURED CRYSTALS, CABOCHON CROWN, M0WR112K0, 7N01



Case Size
30.1mm



SRZ441P \$495



ANALOGUE, SSWR, HARDEX GLASS, 45 CRYSTALS, CABOCHON CROWN, M0WR112J0, 7N01



Case Size
37.4mm



SUR802P \$575



ANALOGUE, TSSGP.GPWR, WR, HARDEX GLASS, 24 CRYSTALS, M0RN221P0, 6N76



Case Size
37.4mm




SUR804P \$550



ANALOGUE, TSSGP.PWR, WR, HARDEX GLASS, 24 CRYSTALS, M0RN222R0, 6N76



Case Size
37.4mm



SUR809P \$475



ANALOGUE, SSWR, WR, HARDEX GLASS, 24 CRYSTALS, M0RN227J0, 6N76



Case Size
37.4mm



SUR800P \$525



ANALOGUE, TSSGP.GPWR, WR, HARDEX GLASS, 24 CRYSTALS, L00G02BP0, 6N76



Case Size
30.1mm



SRZ454P \$525



ANALOGUE, TSSGP.MGPWR, WR, HARDEX GLASS, CABOCHON CROWN, 24 CRYSTALS, M0XJ112K0, 7N01



Case Size
30.1mm




SRZ453P \$450



ANALOGUE, SSWR, WR, HARDEX GLASS, CABOCHON CROWN, 24 CRYSTALS, M0XJ112J0, 7N01



Case Size
30.8mm



SRK028P \$495



ANALOGUE, TSSGP.MGPWR, HARDEX GLASS, 60 CRYSTALS, CABOCHON CROWN, M0V5112K0, 6G28



Case Size
30.8mm



SRK027P \$450



ANALOGUE, SSWR, HARDEX GLASS, 60 CRYSTALS, CABOCHON CROWN, M0V5111J0, 6G28

ANALOGUE

Hour, minute and second hand (model dependant).



Case Size
29.9mm




SRZ422P \$575



ANALOGUE, TSSGPWR, HARDEX GLASS, 6 CRYSTALS,
CABOCHON CROWN, MOT8211R0, 7N01



Case Size
29.9mm



SRZ421P \$450



ANALOGUE, SSWR, HARDEX GLASS, 6 CRYSTALS,
CABOCHON CROWN, MOT8211J0, 7N01



Case Size
25.7mm



SFQ830P \$275



ANALOGUE, SGPWR, HARDEX GLASS, CABOCHON CROWN,
4J38KB, 7N00

STOPWATCHES

**S23571J \$950**PC, HARDEX GLASS,
BZA08N, S149**S23569J \$595**PCWR, HARDEX GLASS,
BZA02N, S143**S23535P \$525**PC, HARDEX GLASS,
BZA04N, S351**S23605P \$325**APCWR (5BAR), ACRYLIC GLASS,
DFY6JB, S058**S23593J \$525**APCWR (10BAR), HARDEX GLASS,
BZA04N, S141**S23603P \$275**APCWR, ACRYLIC GLASS,
DD83AD, S057**S23601P \$250**APCWR, ACRYLIC GLASS,
DD83AD, S056**S23589J \$120**PCWR, ACRYLIC GLASS,
4E22MB, W073**S23547J \$99.95**PC, GRIPSWITCH FOR S23571J,
S149

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
S23619J	Prospex	Quartz - Powered By A Battery	Analogue	5 Years	SR43SW	7C46	Analogue	Professional Diver's 1000	R00D011N0	Sapphire	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SBDX014	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue	50 Hours	N/A	8L35	Analogue	Professional Diver's 1000	R01X011P9	Sapphire	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SBEX001	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue	55 Hours	N/A	8L55	Analogue	Professional Diver's 1000	S01G001H9	Sapphire	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SFQ830P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR616SW	7N00	Analogue	Water Resistant	4J38KB	Hardlex	Cabochon - Pull Out		Hour, Minute				
SGEH42P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821C0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SGEH43P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	4LR1JE	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SGEH45P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0BN731J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SGEH47P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0BN731J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SGEH49P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0BN731J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SGEH49P-2	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	L0ED011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SGG480PS	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	Water Resistant	4E31KZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SGG717P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9JZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SGGA61P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9LZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SGGA62P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9KZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SKA371P-2	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M62	Analogue	Diver's 200 Metres	4KR3NZ	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SKA683P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0CA324J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA685P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0CA324J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA687P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0CA324N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA691P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	L0EK012	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA693P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0XP111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA695P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0XP111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA878P	Sportura	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0XK112R0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA879P	Sportura	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0XK111J0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA881P	Sportura	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0XK111J0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers	Diamonds	11
SMY149P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M83	Analogue	100 Metres	M0EV324J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNAF07P	Conceptual & Regular	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0CC411N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNAF39P	Velatura	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0T5111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDG57P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0EV524J0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SNDG57P-2	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	L0EG011J0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SNDG61P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	L0EG012N0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SNDV64P	Velatura	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M09K211C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands	Diamonds	18
SNDV65P	Velatura	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M09K211J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands	Diamonds	18

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
S23613J				On Bezel									
SBDX014				On Bezel							Yes		
SBEX001				On Bezel							Yes		
SF0830P													
SGEH42P													
SGEH43P													
SGEH45P													
SGEH47P													
SGEH49P													
SGEH49P-2													
SGG480PS													
SGG717P													
SGGA61P													
SGGA62P													
SKA371P-2				On Bezel								Yes	
SKA683P													
SKA685P													
SKA687P													
SKA691P													
SKA693P													
SKA695P													
SKA678P												Yes	Yes
SKA679P												Yes	Yes
SKA881P												Yes	Yes
SMY149P												Yes	Yes
SNAF07P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF39P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SDNG57P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time		On Bezel			Yes						
SDNG57P-2		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time		On Bezel			Yes						
SDNG61P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time		On Bezel			Yes						
SDNV64P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time											
SDNV65P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time											

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SNDV66P	Premier	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	L0E9011P0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SNDV70P	Premier	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0W1211C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SNDV71P	Premier	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0W1211J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SNDX95P	Sportura	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0R1117J0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers	Diamonds	8
SNE094P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0C1111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE095P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	35C4JZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE095P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L00Y011J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE098P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	34C4XZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE107P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	Diver's 200 Metres	DA3H11JR	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE125P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M02M212E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE252P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0SJ112N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE291P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0SJ111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE293P-2	Prospex	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R01V011J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SNE384P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE386P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE388P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE373P	Prospex	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R01V011N0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Markers		
SNE378P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0WN111X0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SNE382P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0WN111X0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SNE383P-9	Prospex	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R01V011N0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Markers		
SNE385P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	50 Metres	M0E0721J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SNE387P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	50 Metres	M0E0721J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SNE390P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	50 Metres	M0E0721K0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SNE391P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0E6428J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers		
SNE393P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0E6428J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers		
SNE393P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L0EC011J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers		
SNE394P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0E6428C0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers		
SNE395P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SNDV66P		Stopwatch Measures 12 Hours in 1/20th of a second increments											
SNDV70P		Stopwatch Measures 12 Hours in 1/20th of a second increments											
SNDV71P		Stopwatch Measures 12 Hours in 1/20th of a second increments											
SNDX95P		Stopwatch Measures 12 Hours in 1/20th Of A Second Increments With Split Time					Yes						
SNE094P													
SNE095P													
SNE095P-2													
SNE098P-9													
SNE107P-2				On Bezel									
SNE125P-9													
SNE252P													
SNE291P													
SNE293P-2				On Bezel									
SNE364P													
SNE366P													
SNE368P-9													
SNE373P				On Bezel									
SNE379P													
SNE382P-9													
SNE383P-9				On Bezel									
SNE385P													
SNE387P													
SNE390P													
SNE391P													
SNE393P													
SNE393P-2													
SNE394P													
SNE395P-9													

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SNE337P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	L0AC012J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SNE398P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SNE404P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	50 Metres	M0EQ721C0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SNE406P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SNKM87K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S26	Analogue	100 Metres	M0VD111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNKM92K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S26	Analogue	100 Metres	M0VD111Z0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNP113P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP114P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP120P	Velatura	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	R02L012P0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP126P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	L0C8013J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP127P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M0C8012J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP128P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP129P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNZE19K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S36	Analogue	100 Metres	4K03JA	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNZE32K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S36	Analogue	50 Metres	3368KG	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNZG13K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S36	Analogue	100 Metres	300Z1JM	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SPC135P	Sportura	Quartz - Powered By A Battery	Chronograph	5 Years	SR927SW	7T04	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SPC137P	Sportura	Quartz - Powered By A Battery	Chronograph	5 Years	SR927SW	7T04	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SPC145P	Velatura	Quartz - Powered By A Battery	Yachting Timer	3 Year Power Reserve	SR927SW	7T84	Analogue	100 Metres	M0T6111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SPC151P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	5 Years	SR927SW	7T04	Analogue	100 Metres	M021224J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SPC159P	Premier	Quartz - Powered By A Battery	Chronograph Perpetual	5 Years	SR927SW	7T86	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year			
SPC161P-2	Premier	Quartz - Powered By A Battery	Chronograph Perpetual	5 Years	SR927SW	7T86	Analogue	100 Metres	M0C8011J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year			
SPC162P	Premier	Quartz - Powered By A Battery	Chronograph Perpetual	5 Years	SR927SW	7T86	Analogue	100 Metres	M09B311C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year			
SPC163P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T85	Analogue	100 Metres	M0EV214J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SPC167P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T85	Analogue	100 Metres	M0EV214J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SPC167P-2	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T85	Analogue	100 Metres	L0B8013J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SNE397P-9													
SNE398P-9													
SNE404P-9													
SNE406P													
SNKM87K													Yes
SNKM92K													Yes
SNP113P					Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP114P					Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP120P					Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP126P					Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP127P					Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP128P					Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP129P					Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNZE19K													Yes
SNZE32K							Yes						Yes
SNZG13K													Yes
SPC135P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time					Yes						
SPC137P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time					Yes						
SPC145P	2 X Alarm. 1 X Single Time 12 Hourly. 1 X Daily 12 Hourly Alarm	Stopwatch Measures 12 Hours in 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone	3 X Preset Timers - 5, 6, 10 minute. Manual Timer can be set up to 15 minutes in 1 minute increments.									
SPC151P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SPC158P	1 X 12 Hourly Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SPC161P-2	1 X 12 Hourly Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SPC162P	1 X 12 Hourly Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SPC163P		Stopwatch Measures 100 Minutes in 1/5th of Second Increments With Split Time											
SPC167P		Stopwatch Measures 100 Minutes in 1/5th of Second Increments With Split Time											
SPC167P-2		Stopwatch Measures 100 Minutes in 1/5th of Second Increments With Split Time											

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SRG017P	Sportura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Direct Drive	1 Month Power Reserve	N/A	5D22	Analogue	100 Metres	M0ND111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SRH021P	Velatura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Direct Drive	1 Month Power Reserve	N/A	5D44	Analogue	100 Metres	M0T6111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRH024P	Velatura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Direct Drive	1 Month Power Reserve	N/A	5D44	Analogue	100 Metres	R02L011P0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRK027P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	Water Resistant	M0V5111J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	60
SRK028P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	Water Resistant	M0V5112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	60
SRK258P	Premier	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	100 Metres	M0W1111P0	Sapphire	Pull Out		Hour, Minute, Seconds			Diamonds	10
SRK260P	Premier	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	100 Metres	M0W1111K0	Sapphire	Pull Out		Hour, Minute, Seconds			Diamonds	10
SRK261P	Premier	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	100 Metres	M0W1111J0	Sapphire	Pull Out		Hour, Minute, Seconds			Diamonds	10
SRK264P	Premier	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	100 Metres	M0W1111P0	Sapphire	Pull Out		Hour, Minute, Seconds				
SRK266P	Premier	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	100 Metres	M0W1111C0	Sapphire	Pull Out		Hour, Minute, Seconds				
SRN063P-9	Coutura	Kinetic - Powered By The Movement Of the Wearer	Kinetic	6 Month Power Reserve	N/A	5M54	Analogue	100 Metres	M0XS111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month	Hands & Markers		
SRN066P-9	Coutura	Kinetic - Powered By The Movement Of the Wearer	Kinetic	6 Month Power Reserve	N/A	5M54	Analogue	100 Metres	M0XS111N9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month	Hands & Markers		
SRP527J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0VJ111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SRP529J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0VJ111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SRP534J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0VJ111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SRP553K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0SX211J0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP639K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R002031J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers		
SRP653K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02Y011J0	Sapphire	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP655K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02Y011J0	Sapphire	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP675K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	4K32JB	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP677K-2	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	R00C013J0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP680K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	R00C011P0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP691J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XB111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week			
SRP693J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XB111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week			
SRP694J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XB111C0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week			
SRP696J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XB111R0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week			
SRP701K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0WS411J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SRP703K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0WS411J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SRP704K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0WS411C0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SRG017P											Yes	Yes	
SRH021P											Yes	Yes	
SRH024P											Yes	Yes	
SRK027P													
SRK028P													
SRKZ58P													
SRKZ60P													
SRKZ61P													
SRKZ64P													
SRKZ66P													
SRN063P-9												Yes	Yes
SRN066P-9												Yes	Yes
SRP527J											Yes		Yes
SRP529J											Yes		Yes
SRP534J											Yes		Yes
SRP553K											Yes		Yes
SRP639K				On Bezel							Yes		
SRP653K				On Bezel							Yes		
SRP655K				On Bezel							Yes		
SRP675K											Yes		Yes
SRP677K-2											Yes		Yes
SRP680K											Yes		Yes
SRP691J											Yes		Yes
SRP693J											Yes		Yes
SRP694J											Yes		Yes
SRP696J											Yes		Yes
SRP701K											Yes		Yes
SRP703K											Yes		Yes
SRP704K											Yes		Yes

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SRP705K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L07H012J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SRP706K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L07H014P0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SRP707K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XR111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP713K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	L07N012J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP715K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	L07N011J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP721K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	L0B0014N0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP880J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XC117P0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week			
SRP882J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XC111R0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week			
SRP884J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XC111C0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week			
SRP887J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XC117J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week			
SRW874P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	5 Years	SR627SW	7T12	Analogue	50 Metres	M0R6412K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SRW875P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	5 Years	SR627SW	7T12	Analogue	50 Metres	M0R6412J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SRW875P-2	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	5 Years	SR627SW	7T12	Analogue	50 Metres	L0EF011J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SRX011P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Direct Drive Moon Phase	1 Month Power Reserve	N/A	5D88	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Day Of The Week, Moon Phase			
SRX013P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Direct Drive Moon Phase	1 Month Power Reserve	N/A	5D88	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Day Of The Week, Moon Phase			
SRZ399P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	11
SRZ400P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	11
SRZ402P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	11
SRZ421P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0T8211J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	6
SRZ422P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0T8211R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	6
SRZ437P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R6312J0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds				
SRZ438P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R6312C0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds				
SRZ440P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R6312K0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds				
SRZ441P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0WR112J0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds			Crystals	45
SRZ442P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0WR112K0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds			Crystals	45
SRZ444P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0WR112K0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds			Crystals - Coloured	45
SRZ447P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0XJ112J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SRZ448P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0XJ112R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SRZ450P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0XJ112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SRZ453P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0XJ112J0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds			Crystals	24
SRZ454P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0XJ112K0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds			Crystals	24

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SRP705K											Yes		Yes
SRP706K											Yes		Yes
SRP707K											Yes		Yes
SRP713K											Yes		Yes
SRP715K											Yes		Yes
SRP721K											Yes		Yes
SRP880J											Yes		Yes
SRP882J											Yes		Yes
SRP884J											Yes		Yes
SRP887J											Yes		Yes
SRW874P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SRW875P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SRW875P-2		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SRX011P											Yes	Yes	
SRX013P											Yes	Yes	
SRZ399P													
SRZ400P													
SRZ402P													
SRZ421P													
SRZ422P													
SRZ437P													
SRZ438P													
SRZ440P													
SRZ441P													
SRZ442P													
SRZ444P													
SRZ447P													
SRZ448P													
SRZ450P													
SRZ453P													
SRZ454P													

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SSA213J-2	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	L0C8011J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA215J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA216J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	M09B311C0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA257J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0VJ113J0	Sapphire	Pull Out		Hour, Minute, Seconds				
SSA258J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0VJ113Z0	Sapphire	Pull Out		Hour, Minute, Seconds				
SSA262J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0VJ111R0	Sapphire	Pull Out		Hour, Minute, Seconds				
SSA265K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	N/A	N/A	4R39	Analogue	50 Metres	M0VWS11J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA860K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R38	Analogue	50 Metres	M0T4312K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SSA862K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R38	Analogue	50 Metres	M0T4312J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SSA863K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R38	Analogue	50 Metres	M0T4312J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SSA884J	Sportura	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0R1217R0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds		Hands & Markers		
SSA885J	Sportura	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0R1217J0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds		Hands & Markers		
SSB063P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	M0CW311J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSB145P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	M0EA421J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSB155P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	M0VWS111J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSB156P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	M0VWS111J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSC138P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0SA111C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC139P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0SA112E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC141P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC142P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC143P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0225E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC147P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC193P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC194P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC195P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC198P-9	Coutura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	34P0XB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC199P-9	Coutura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0BC112E9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SSA213J-2											Yes		Yes
SSA215J											Yes		Yes
SSA216J											Yes		Yes
SSA257J											Yes		Yes
SSA258J											Yes		Yes
SSA262J											Yes		Yes
SSA265K											Yes		Yes
SSA860K											Yes		Yes
SSA862K											Yes		Yes
SSA863K											Yes		Yes
SSA884J											Yes		Yes
SSA885J											Yes		Yes
SSB063P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSB145P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSB155P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSB156P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC138P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC139P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC141P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC142P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC143P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC147P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC193P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC194P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC196P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC198P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC199P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SSC218P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC220P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L0AC012P0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC261P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0VY221J0	Sapphire	Pull Out	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SSC265P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112E0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC271P-9	Sportura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0ND111J9	Sapphire	Screw Down		Hour, Minute, Seconds	Date	Hands & Markers		
SSC274P-9	Sportura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L01M015P9	Sapphire	Screw Down		Hour, Minute, Seconds	Date	Hands & Markers		
SSC288P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111C0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC293P-2	Prospex	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L0DG011J0	Hardlex	Pull Out	Inner Ring	Hour, Minutes, Seconds	Date	Hands & Markers		
SSC295P	Prospex	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L0DG013N0	Hardlex	Pull Out	Inner Ring	Hour, Minutes, Seconds	Date	Hands & Markers		
SSC299P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0EV424J0	Hardlex	Pull Out	One Way	Hour, Minutes, Seconds	Date	Hands & Markers		
SSC303P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L0DJ011J0	Hardlex	Pull Out	One Way	Hour, Minutes, Seconds	Date	Hands & Markers		
SSC312P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111C0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date		Diamonds	22
SSC314P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111K9	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date		Diamonds	22
SSC317P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0V1111J9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSC320P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0V1111K0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSC347P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	M0JT334J0	Hardlex	Pull Out	Inner Ring	Hour, Minutes, Seconds	Date	Hands & Markers		
SSC349P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	M0JT334J0	Hardlex	Pull Out	Inner Ring	Hour, Minutes, Seconds	Date	Hands & Markers		
SSC351P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	R030011J0	Hardlex	Pull Out	Inner Ring	Hour, Minutes, Seconds	Date	Hands & Markers		
SSC355P	Sportura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers		
SSC357P	Sportura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers		
SSC359P	Sportura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	L0CE011J0	Sapphire	Screw Down		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers		
SSC363P	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	M0WVN211T0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SSC367P	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	M0WVN211T0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SSC375P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers		
SSC376P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers		
SSC377P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111N9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers		
SSC387P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	M0XW111J9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SSC218P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC220P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC261P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time							Yes				
SSC265P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC271P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC274P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC288P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC293P-2	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC295P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC299P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone	On Bezel									
SSC303P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone	On Bezel									
SSC312P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC314P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC317P-9		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC320P-9		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC347P		Stopwatch Measures 60 Minutes In 1/20th Of A Second Increments With Split Time							Yes				
SSC349P		Stopwatch Measures 60 Minutes In 1/20th Of A Second Increments With Split Time							Yes				
SSC351P		Stopwatch Measures 60 Minutes In 1/20th Of A Second Increments With Split Time							Yes				
SSC355P	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC357P	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC359P	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC363P		Stopwatch Measures 60 Minutes In 1/20th Of A Second Increments With Split Time											
SSC367P		Stopwatch Measures 60 Minutes In 1/20th Of A Second Increments With Split Time											
SSC375P-9	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	
SSC376P-9	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	
SSC377P-9	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	
SSC387P-9		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SSC389P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	M0XW111J9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSC392P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	M0WN211X0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SSC394P	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers		
SSC396P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	LDAC014P0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date			
SUN015P	Sportura	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN019P	Prospex	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	Diver's 200 Metres	M0VY111J0	Sapphire	Screw Down & Screw Button	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN023P	Prospex	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	Diver's 200 Metres	R01Y011M0	Sapphire	Screw Down & Screw Button	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN026P	Sportura	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	M0ND111M0	Sapphire	Screw Down		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN028P	Sportura	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	LDAC011P0	Sapphire	Screw Down		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN045P	Prospex	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	Diver's 200 Metres	R01Y011M0	Sapphire	Screw Down & Screw Button	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN047P	Prospex	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	M0XL111M0	Hardlex	Screw Down	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN049P	Prospex	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	M0XL111J0	Hardlex	Screw Down	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN051P	Prospex	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	LD08011J0	Hardlex	Screw Down	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN053P	Prospex	Kinetic - Powered By The Movement Of The Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	LD08012J0	Hardlex	Screw Down	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUP214P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0N7222J0	Hardlex	Pull Out		Hour, Minute			Crystals	32
SUP216P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0N7222K0	Hardlex	Pull Out		Hour, Minute			Crystals	32
SUP250P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L02J026K9	Hardlex	Cabochon - Pull Out		Hour, Minute				
SUP272P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V116	Analogue	Water Resistant	M0WY112C9	Hardlex	Pull Out		Hour, Minutes				
SUP274P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V116	Analogue	Water Resistant	M0WY112C9	Hardlex	Pull Out		Hour, Minutes				
SUP276P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V116	Analogue	Water Resistant	M0WY112K0	Hardlex	Pull Out		Hour, Minutes				
SUP277P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0WP211T0	Hardlex	Pull Out		Hour, Minute				
SUP280P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0WP211X0	Hardlex	Pull Out		Hour, Minute				
SUP282P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0WP212K0	Hardlex	Pull Out		Hour, Minute				
SUP287P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0WC212J9	Hardlex	Pull Out		Hour, Minute			Crystals	32
SUP288P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0WC212C9	Hardlex	Pull Out		Hour, Minute			Crystals	32
SUP290P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0WC212K9	Hardlex	Pull Out		Hour, Minute			Crystals	32

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SSC389P-9		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC392P-9		Stopwatch Measures 60 Minutes In 1/20th Of A Second Increments With Split Time											
SSC394P	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	
SSC396P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SUN015P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone									Yes	Yes
SUN019P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone	On Bezel								Yes	
SUN023P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone	On Bezel								Yes	
SUN026P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone									Yes	Yes
SUN028P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone									Yes	Yes
SUN045P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone	On Bezel								Yes	
SUN047P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone			Yes						Yes	Yes
SUN049P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone			Yes						Yes	Yes
SUN051P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone			Yes						Yes	Yes
SUN053P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone			Yes						Yes	Yes
SUP214P													
SUP216P													
SUP250P-9													
SUP272P-9													
SUP274P-9													
SUP276P-9													
SUP277P													
SUP280P													
SUP282P													
SUP287P-9													
SUP288P-9													
SUP290P-9													

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SUP878P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L011024K9	Hardlex	Pull Out		Hour, Minute				
SUP880P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0C2011K9	Hardlex	Cabochon - Pull Out		Hour, Minute				
SUR099P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	100 Metres	M0WS211J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date			
SUR101P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	100 Metres	M0WS211C0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date			
SUR127P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	100 Metres	M0PC421J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SUR134P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	100 Metres	M0PC421C0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SUR136P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	100 Metres	M0PC421R0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SUR138P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	100 Metres	L0E4012P0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SUR800P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	Water Resistant	L00G02BP0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date		Crystals	24
SUR802P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	Water Resistant	M0RN221P0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date		Crystals	24
SUR804P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	Water Resistant	M0RN222R0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date		Crystals	24
SUR809P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR621SW	6N76	Analogue	Water Resistant	M0RN227J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date		Crystals	24
SUT022P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	2 Month Power Reserve	N/A	V187	Analogue	100 Metres	M0FD211C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SUT122P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	2 Month Power Reserve	N/A	V187	Analogue	100 Metres	M0FD212D0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SUT128P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0V2111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SUT142P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0V2111K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SUT154P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211C0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SUT156P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SUT158P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SUT159P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	M0SZ411J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SUT162P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	M0SZ411C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SUT164P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	M0SZ411K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SUT164P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	L02J015K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SUT170P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	26
SUT172P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	26
SUT203P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0WP111X0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers		
SUT210P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0F3312C9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SUT212P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0F3312K9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SUT214P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0V2117C0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date		Diamonds	10
SUT216P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0V2117K0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date		Diamonds	10

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SUP878P-9													
SUP880P-9													
SUR099P													
SUR101P													
SUR127P													
SUR134P													
SUR136P													
SUR138P													
SUR800P													
SUR802P													
SUR804P													
SUR809P													
SUT022P													
SUT122P													
SUT128P													
SUT142P													
SUT154P													
SUT156P													
SUT158P													
SUT159P													
SUT162P													
SUT164P													
SUT164P-2													
SUT170P-9													
SUT172P-9													
SUT203P													
SUT210P-9													
SUT212P-9													
SUT214P													
SUT216P													

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SUT227P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0K3221J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SUT230P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0K3221C0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SUT232P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0K3221K0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date			
SUT233P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0PA211J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SUT234P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0PA211C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SUT236P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0PA212K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SUT238P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	L02S012K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SUT239P-9	Coutura	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	24
SUT240P-9	Coutura	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	24
SUT242P-9	Coutura	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT111K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	24
SUT243P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	5
SUT244P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	5
SUT268P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SUT270P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	26
SXDG57P	Premier	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SY111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date		Diamonds	28
SXDG58P	Premier	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SY111C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date		Diamonds	28
SXDG64P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ511J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SXDG65P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	L02J018J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		

PRODUCT INFORMATION MATRIX


Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SUT227P													
SUT230P													
SUT232P													
SUT233P													
SUT234P													
SUT236P													
SUT238P													
SUT239P-9													
SUT240P-9													
SUT242P-9													
SUT243P-9													
SUT244P-9													
SUT268P													
SUT270P													
SXDG57P													
SXDG58P													
SXDG64P													
SXDG65P													

PRODUCT INFORMATION MATRIX – STOPWATCH

Model Number	Page	Case Material	Band/Neck Strap Ref No.	Glass Type	Water Resistance (Metres)	Calibre	Battery Type	Battery Life/Power Reserve (Approx)	Time/Calendar Function	Stopwatch Count	Lap
S23535P	54	PC	BZA04N	HARDLEX		S351	CR2032	3 YEARS	•	100 HOURS IN 1 SECOND INCREMENTS	999
S23547J	54	PC	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A
S23569J	54	PC	BZA02N	HARDLEX	WR	S143	CR2431	4 YEARS	•	10 HOURS IN 1/100TH SECOND INCREMENTS	999
S23571J	54	PC	BZA08N	HARDLEX		S149	CR2430	3 YEARS	•	1 HOUR IN 1/100TH SECOND INCREMENTS	999
S23589J	54	PC	4E22MB	ACRYLIC	WR	W073	CR2025	2 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	99
S23593J	54	APC	BZA04N	HARDLEX	100	S141	CR2430	3 YEARS	•	10 HOURS IN 1/100TH SECOND INCREMENTS	300
S23601P	54	APC	DD83AD	ACRYLIC	50	S056	CR2032	3 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999
S23603P	54	APC	DD83AD	ACRYLIC	50	S057	CR2033	4 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999
S23605P	54	APC	DFY6JB	ACRYLIC	50	S058	CR2032	3 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999

PRODUCT INFORMATION MATRIX – STOPWATCH

Model Number	Split	Memory	Countdown Timer	Other Functions
S23535P	999		100 HOURS IN 1 SECOND INCREMENTS	TIME CALCULATION, SPECIALTY TIMER FUNCTIONS FOR AUDIO AND VIDEO PRODUCTION ENVIRONMENTS
S23547J	N/A	N/A	N/A	REMOTE GRIPSWITCH FOR S23571J
S23569J	999	300 LAP/SPLIT		PRINTER CONNECTIVITY, MEMORY CAPACITY INDICATOR
S23571J	999	300 LAP/SPLIT		BUILT IN PRINTER, MEMORY CAPACITY INDICATOR, AUTO START FUNCTION, GRIP SWITCH CONNECTABILITY
S23589J	99	10 LAP/SPLIT	N/A	
S23593J	300	100 LAP/SPLIT	N/A	STROKES PER MINUTE 9 PLACE MEMORY, MEMORY CAPACITY INDICATOR
S23601P	999	100 LAP/SPLIT	N/A	AUTOMATIC BATTERY SAVE SHUT OFF
S23603P	999	100 LAP/SPLIT	TWO-CHANNEL COUNTDOWN TIMERS IN DECIMAL SYSTEM WITH AUTO REPEAT FUNCTION ACCOMPANIED WITH DIFFERENT ALARM SOUND TONES EACH CHANNEL CAN BE SET FROM 10 SECONDS UP TO 99 HOURS 59 MINUTES AND 59 SECONDS THE NUMBER OF TIMES THAT THE TIMERS REPEAT THEIR COUNTDOWN CYCLES CAN BE SET FROM 1 TO 100 TIMES.	AUTOMATIC BATTERY SAVE SHUT OFF
S23605P	999	100 LAP/SPLIT	2 X EACH CHANNEL CAN BE SET FOR FROM 10 SECONDS UP TO 99 HOURS 59 MINUTES AND 59 SECONDS (DOUBLE REPEAT)	LIGHT, AUTOMATIC BATTERY SAVE SHUT OFF



Oscillating Weight

Movement of the wearer rotates the oscillating weight.

Rotor

Transforms every movement of the oscillating weight into a magnetic charge.

Rechargeable Long-Life Battery

Stores the generated electrical energy.

Generating Electricity

The natural movement of your body is sensitively transformed into electrical energy.

Storing Electricity

A high performance long-life **rechargeable** battery stores the energy to power the watch.

Utilising Electricity


Advanced electronic circuitry ensures that the energy is converted with optimum efficiency into a quartz signal.

Circuit Block

Controls voltage and amperage. And by quartz oscillation, it produces a precise watch signal.

SEIKO SOLAR

No Battery Change Required




SEIKO. Solar watch experts since 1977


AUTOMATIC ANALOGUE (4R36/4R38/4R39)

- Hour, Minute, Seconds (24 hour hand for 4R39)
- Calendar, Day Of the Week (4R36)
- Powered by movement or winding the crown

● 4R35



● 4R37



CROWN

- | | |
|--------------------------|--|
| a) Normal position | : winding up the mainspring (manual operation) |
| b) First click position | : date setting |
| c) Second click position | : time setting |

HOW TO USE

This watch is an automatic watch equipped with a manual winding mechanism.

- When the watch is worn on the wrist, the motion of the wearer's arm winds the mainspring of the watch.
- If your watch is completely stopped, it is recommended that you manually wind the mainspring by turning the crown.

How to manually wind the mainspring by turning the crown

1. Slowly turn the crown clockwise (in the 12 o'clock direction) to wind the mainspring.
2. Continue to turn the crown until the mainspring is sufficiently wound. The second hand will start moving.
3. Set the time and date before putting the watch on your wrist.

HOW TO SET THE TIME, DAY AND DATE (FOR CAL. 4R36)

- Check that the watch is operating, and then set the time, day and date.
- The watch is provided with a day and date function and is so designed that the day and date changes once every 24 hours. The date changes around 12 o'clock midnight, and the day around 4:00 a.m. If AM/PM is not properly set, the date will change around 12 o'clock noon, and the day around 4:00 p.m.

1. Pull out the crown to the first click. (The second hand continues moving and the accuracy of the watch is unimpaired.)
2. The day can be set by turning the crown clockwise.
3. The date can be set by turning the crown counterclockwise. Turn it until the previous day's date appears.
Ex.) If today is the 5th of the month, first set the date to "4" by turning the crown counterclockwise.

4. Pull out the crown to the second click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.) Turn the crown to advance the hands until the date changes to the next. The time is now set for the a.m. period. Advance the hands to set the correct time.
5. Push the crown back in to the normal position in accordance with a time signal.

HOW TO SET THE TIME (FOR CAL. 4R38 AND CAL. 4R39)

1. Pull out the crown to the first click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.)
 2. Turn the crown to set the hour and minute hands to the correct time.
 3. Push the crown back in to the normal position in accordance with a time signal.
- Cal. 4R39 has a 24-hour hand, which moves correspondingly with the hour hand. When setting the time, check that the 24-hour hand is correctly set.

ACCURACY OF MECHANICAL WATCHES


- The accuracy of mechanical watches is indicated by the daily rates of one week or so. (Around 25 seconds per day +/-)
- The accuracy of mechanical watches may not fall within the specified range of time accuracy because of loss/gain changes due to the conditions of use, such as the length of time during which the watch is worn on the wrist, arm movement, whether the mainspring is wound up fully or not, etc.
- The key components in mechanical watches are made of metals which expand or contract depending on temperatures due to metal properties. This exerts an effect on the accuracy of the watches. Mechanical watches tend to lose time at high temperatures while they tend to gain time at low temperatures.
- In order to improve accuracy, it is important to regularly supply energy to the balance that controls the speed of the gears. The driving force of the mainspring that powers mechanical watches varies between when it is fully wound and immediately before it is unwound. As the mainspring unwinds, the force weakens.

Relatively steady accuracy can be obtained by wearing the watch on the wrist frequently for the self-winding type and winding up the mainspring fully everyday at a fixed time to move it regularly for the wind-up mechanical type.

- When affected by external strong magnetism, a mechanical watch may loss/gain time temporarily. The parts of the watch may become magnetized depending on the extent of the effect. In such a case, consult the retailer from whom the watch was purchased since the watch requires repair, including demagnetizing.

KINETIC DIRECT DRIVE (5D22)

- Time/Calendar.
- Hour, minute, second hands.
- Date.
- Direct Drive Indicator.
- Power reserve indicator.
- Real-time power indicator.
- Hand winding Capability.
- System reset.



❖ The position of the date window may differ depending on the model.

HOW TO CHARGE AND START THE WATCH

1. Turn the crown clockwise repeatedly to charge the watch.
2. As electric power is generated by the continuous turning of the crown, the Direct Drive indicator hand will move to point at scale marking 0 and the second hand will start moving.
3. Continue to turn the crown to sufficiently charge the watch.
 - The Direct Drive indicator hand will move up and down to display the electric power generation status.
 - After charging the watch, the indicator hand will display the amount of power generated by the current manual winding for approximately 4 seconds, and then the hand returns to display the total amount of power reserve.
 - A fully charged watch will keep on operating for approximately 1 month.

HOW TO READ THE DIRECT DRIVE INDICATOR

The direct drive indicator can be used to check:

- Power reserve amount.
- Real-time power generation status and newly generated amount of power while charging the watch.

Power reserve indicator

- The watch checks power reserve in the rechargeable battery and display how long the watch will keep operating in 18 steps.
- If the indicator hands moves to the 0 position, the watch will stop operating within 3 hours. When the watch is stops, the indicator hand moves to the standby position to show that the watch stops operating due to power shortage.

Real-time power indicator

- When turning the crown to charge the watch, the watch checks the newly generated amount of power and display in 19 steps (0-“M+1” scale marking)
- A maximum 6 hours of generated power can be displayed.

■ SCALE TABLE OF POWER RESERVE AMOUNT AND GENERATED POWER AMOUNT

Scale marking	Standby position	0	1	2	3	4	5	6	7	8	9	10	11
Indication on dial		0				12 (12 h)				D (Day)			
Power reserve amount	The watch stops operating.	0	3 H	6 H	9 H	12 H	15 H	18 H	21 H	1 D	2 D	3 D	4 D
Amount of generated power		0	20 Min.	40 Min.	1 H	1 H 20 Min.	1 H 40 Min.	2 H	2 H 20 Min.	2 H 40 Min.	3 H	3 H 20 Min.	3 H 40 Min.

Scale marking	12	13	14	15	16	17	18
Indication on dial	0		W (Week)		12	M (Month)	
Power reserve amount	5 D	6 D	1 W	2 W	3 W	30 D	
Amount of generated power	4 H	4 H 20 Min.	4 H 40 Min.	5 H	5 H 20 Min.	5 H 40 Min.	6 H

*H: Hour
D: Day
W: Week
M: Month*
** The minimum amount of power reserve and generated power is described in the table.*

HOW TO READ THE DIRECT DRIVE INDICATOR WHILE CHARGING THE WATCH

1. Turn the crown clockwise. After approximately 1 second, the direct drive indicator hands starts moving.
2. Continue to turn the crown. The indicator hand moves upward and downward according to the power generation status. The faster the crown is turned the more power it generates.
3. Stop turning the crown, the direct drive indicator will display the total amount of power generated. After approximately 4 second the direct drive indicator will display the total amount of power reserve.

HOW TO SET TIME

1. Pull the crown out to the second click. When the second hand is at the 12 o'clock position.
2. Turn the crown to set the time.
3. When finish setting the time push the crown back to normal position.

HOW TO SET THE DATE

1. Pull the crown out to the first click.
2. Turn the crown anticlockwise until the current date.

RESETTING THE BUILT-IN IC

When the watch stops operating even through it displays the remainder of the power reserve, follow the instruction below to reset the built-in IC.

1. Pull the crown out to the second click.
2. Press the reset button for 2 seconds or longer using a sharp-pointed tool.
3. Push the crown back into the normal position.
4. Turn the crown to charge the watch at least until the indicator hand points at the second marking above "0". And then set the time, date, and day of the week.
 - After resetting the built-in IC, all the generated/reserve power will be lost.
 - The indicator hand will point at 0 position, and the watch resume its normal operation.


AUTOMATIC HAND ALIGNMENT

The position of the indicator hand may move out of alignment in rare cases.

The watch automatically corrects the position of the indicator hand once every 24 hours. While correcting the hand position, the indicator hand may move abnormally, however, this is not a malfunction. After automatic hand alignment is performed, the indicator hand will return to display power reserve amount. When automatic hand alignment starts, the indicator hand moves to the area under the 0 position and vibrates, and then points at the 0 position. After automatic hand alignment is completed, the indicator hand returns to display power reserve amount.

KINETIC DIRECT DRIVE (5D44)


- Time/Calendar.
- Hour, minute, second hands.
- Date, retrograde day indicator.
- Direct Drive Indicator.
- Power reserve indicator.
- Real-time power indicator.
- Crown with Driving Wheel.
- Hand winding Capability.
- System reset.



❖ The position of the date window and day hand may differ depending on the model.

CROWN WITH DRIVING WHEEL

- ◆ Some models may have a crown with a special structure as illustrated below. Refer to the following instructions when operating this type of crown, as it should be operated in a different way from that of ordinary ones.



To pull out the crown, pull out the **A portion** (crown).
To turn the crown, turn the **B portion** (driving wheel).

HOW TO CHARGE AND START THE WATCH

1. Turn the crown clockwise repeatedly to charge the watch.
2. As electric power is generated by the continues turning of the driving wheel, the Direct Drive indicator hand will moves to point at scale marking 0 and the second hand will start moving.
3. Continue to turn the crown to sufficiently charge the watch.
 - The Direct Drive indicator hand will moves up and down to display the electric power generation status.
 - After charging the watch, the indicator hand will display the amount of power generated by the current manual winding for approximately 4 seconds, and then the hand returns to display the total amount of power reserve.
 - A fully charged watch will keep on operating for approximately 1 month.

HOW TO READ THE DIRECT DRIVE INDICATOR

The direct drive indicator can be used to check:

- Power reserve amount.
- Real-time power generation status and newly generated amount of power while charging the watch.

Power reserve indicator

- The watch checks power reserve in the rechargeable battery and display how long the watch will keep operating in 18 steps.
- If the indicator hands moves to the 0 position, the watch will stop operating within 3 hours. When the watch is stops, the indicator hand moves to the standby position to show that the watch stops operating due to power shortage.

Real-time power indicator

- When turning the driving wheel to charge the watch, the watch checks the newly generated amount of power and display in 19 steps (0-“M+1” scale marking).
- A maximum 6 hours of generated power can be displayed.

HOW TO READ THE DIRECT DRIVE INDICATOR WHILE CHARGING THE WATCH

1. Turn the crown clockwise. After approximately 1 second, the direct drive indicator hands starts moving.
2. Continue to turn the crown. The indicator hand moves upward and downward according to the power generation status. The faster the crown is turned the more power it generates.

3. Stop turning the crown, the direct dive indicator will display the total amount of power generated. After approximately 4 second the direct drive indicator will display the total amount of power reserve.

HOW TO SET TIME

1. Pull the crown out to the second click. When the second hand is at the 12 o'clock position.
2. Turn the crown to set the time.
3. When finish setting the time push the crown back to normal position.

HOW TO SET THE DATE AND DAY

1. Pull the crown out to the first click.
2. Turn the crown anticlockwise until the current date.
3. Turn the crown clockwise to set the day hand to point at the correct day of the week.
4. Push the crown back to the normal position.

RESETTING THE BUILT-IN IC

When the watch stops operating even through it displays the remainder of the power reserve, follow the instruction below to reset the built-in IC.

1. Pull the crown out to the second click.
2. Press the reset button for 2 seconds or longer using a sharp-pointed tool.
3. Push the crown back into the normal position.
4. Turn the driving wheel to charge the watch at least until the indicator hand points at the second marking above “0”. And then set the time, date, and day of the week.
 - After resetting the built-in IC, all the generated/reserve power will be lost.
 - The indicator hand will point at 0 position, and the watch resume its normal operation.

AUTOMATIC HAND ALIGNMENT

The position of the indicator hand may move out of alignment in rare cases. The watch automatically corrects the position of the indicator hand once every 24 hours. While correcting the hand position, the indicator hand may move abnormally, however, this is not a malfunction. After automatic hand alignment is performed, the indicator hand will return to display power reserve amount. When automatic hand alignment starts, the indicator hand moves to the area under the 0 position and vibrates, and then points at the 0 position. After automatic hand alignment is completed, the indicator hand returns to display power reserve amount.

■ SCALE TABLE OF POWER RESERVE AMOUNT AND GENERATED POWER AMOUNT

Scale marking	Standby position	0	1	2	3	4	5	6	7	8	9	10	11
Indication on dial		0				12 (12 h)				D (Day)			
Power reserve amount	The watch stops operating	0	3 H	6 H	9 H	12 H	15 H	18 H	21 H	1 D	2 D	3 D	4 D
Amount of generated power		0	20 Min	40 Min	1 H	1 H 20 Min	1 H 40 Min	2 H	2 H 20 Min	2 H 40 Min	3 H	3 H 20 Min	3 H 40 Min

Scale marking	12	13	14	15	16	17	18
Indication on dial	0	W (Week)			12 M (Month)		
Power reserve amount	5 D	6 D	1 W	2 W	3 W	30 D	
Amount of generated power	4 H	4 H 20 Min	4 H 40 Min	5 H	5 H 20 Min	5 H 40 Min	6 H

H : Hour
D : Day
W : Week
M : Month

* The minimum amount of power reserve and generated power is described in the table

KINETIC (5M54/62/84)

- Hour, minute and second hands.
- Calendar (Date).
- Day indicator (5M54).
- Automatic Power Generator.
- Energy Depletion Forewarning.
- Overcharge Prevention Function.
- 6 Month Power Storage.



HOW TO START THE WATCH

When using the watch for the first time be sure to charge the Rechargeable Battery sufficiently by swinging the watch from side to side before setting the time and other functions.

1. Swing the watch side to side at a rate of twice per second.
2. After the watch is swung for approx. 2 to 3 minutes, and the second hand begins to move in one-second intervals there is about six hours of power available. It is not necessary to charge the rechargeable battery fully before you wear the watch. While the watch is on your arm, the Automatic Power Generator will ensure constant operation.

Notes: 1. To charge the rechargeable battery efficiently, swing the watch from side to side, making an arc of about 20cm. 2. No additional benefit is obtained by swinging the watch more quickly or with greater vigor. 3. When the watch is swung, the oscillating weight in the generating system rotates to drive the mechanism. As it rotates, it creates a sound: this is not a malfunction.

HOW TO SET TIME

The Seiko Kinetic series of watches are basic analogue and can be set the same as any 2 or 3 hand watch.

1. Pull out the crown to the second click.
2. Turn the crown to set hour and minute hands.
3. Push crown back to normal position.

Notes: 1. When setting the hour hand, check that AM/PM is correctly set. The watch is so designed that the calendar/day changes once in 24 hours. Turn the hands past the 12 o'clock marker to determine whether the watch is set for the AM or PM period. If the calendar/day changes, the time is set for the AM period. If the calendar/day does not change, the time is set for the PM period. 2. When setting the minute hand, advance it 4 to 5 minutes ahead of the desired time and then turn it back to the exact time.

POWER RESERVE INDICATOR


By pressing Button A once when the second hand is in 12 position the watch can indicate how much power is stored in the rechargeable battery.

If the second hand advances to the;

- 1 position the watch has between approximately 1 and 7 days.
- 2 position the watch has between 7 days and 1 month.
- 4 position the watch has between 1 and 4 months.
- 6 position the watch has between 4 and 6 months.

KINETIC GMT (5M85)

- Hour, minute, second, 24-hour hand.
- Calendar (Date).
- Automatic Power Generator.
- Energy Depletion Forewarning.
- Overcharge Prevention Function.
- 6 Month Power Storage.



HOW TO START THE WATCH

1. Swing the watch from side to side.

* Swing rhythmically at a rate of twice a second.

2. Charge the KINETIC E.S.U. sufficiently.
3. Set the time/calendar and put on the watch.

POWER RESERVE INDICATOR

1. Press the button at the 2 o'clock position.

To allow easy reading of the second hand, press the button when the second hand is at the 12 o'clock position.

★ QUICK MOVEMENT OF SECOND HAND	5 seconds	10 seconds	20 seconds	30 seconds
POWER RESERVE	Between 1 and 7 days	Between 7 days and 1 month	Approx 1 month	Approx between 4 and 6 months

★ The second hand will resume normal movement after the indicated 5, 10, 20 or 30 seconds have elapsed

HOW TO SET TIME

When setting the time, ensure that the watch is working: the second hand is moving at one-second intervals.

- In a case that the watch is completely stopped due to a shortage of stored electrical energy, recharge the watch until the second hand resumes the normal one-second interval movement, and then reset the time and calendar.
- The 24-hour hand can be used in two ways. Since the time setting procedure differs according to the usage, please choose the method before setting the time.

Method 1

Simply using the 24-hour hand to show the 24-hour time as an AM/PM indicator.

- This is the standard usage for the 24-hour hand.

Method 2

Using the 24-hour hand to indicate the time in a different time zone.

- For instance, by setting the 24-hour hand to GMT while setting the hour and minute hands to indicate the time in your area, you can easily check GMT with the 24-hour hand at any time.

HOW TO SET THE 24-HOUR HAND AS A REGULAR 24-HOUR INDICATOR

<When method 1 usage is selected>

1. Pull out the crown to the second click.
2. Turn the crown to set the 24-hour and minute hands to the current time.
3. Push the crown back in simultaneously with a time signal.
4. Pull out the crown to the first click.
5. Turn the crown to set the hour hand to the current hour.
6. Push the crown back in upon completion of time setting.

HOW TO SET THE 24-HOUR HAND AS A REGULAR 24-HOUR INDICATOR

<When method 2 usage is selected>

1. Pull out the crown to the second click.
2. Turn the crown to set the 24-hour and minute hands to the time in the "different time zone area" you wish to set.
3. Push the crown back in simultaneously with a time signal.
4. Pull out the crown to the first click.
5. Turn the crown to set the hour hand to the current hour.
6. Push the crown back in upon completion of time setting.

HOW TO SET THE DATE

- This watch is designed so that the date changes one day by turning the hour hand two full rotations in the same way as in "the time difference adjustment function."
- The date advances one day by turning the hour hand two full rotations clockwise, while the date is set back one day by turning the hour hand two full rotations counterclockwise.
- After setting the time, it is necessary to set the date. Manual date adjustment is required on the first day after a month that has less than 31 days.


1. Pull out the crown to the first click.
2. Each time the hour hand makes two full rotations by turning the crown, the date is adjusted one day.
3. After completing the date setting, check the position of the hour hand once again and push the crown back in.

HOW TO ADJUST THE TIME DIFFERENCE

- While staying in a place in a different time zone area from where you live, you can conveniently set the watch to indicate the local time in the place where you are staying without stopping the watch.
 - The time difference adjustment function is interrelated with the date display. If the time difference is correctly adjusted, the watch displays the correct date of the place where you are staying.
1. Pull out the crown to the first click.
 2. Turn the crown to set the hour hand to indicate the time of the place where you are staying. The hour hand is independently set to the current hour.
 3. After completing the time difference adjustment, check the position of the hour hand once again and push the crown back in.

CHRONOGRAPH (6T63)

- Hour, Minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 60 minutes in 1/5th of a second increments.



HOW TO START THE WATCH


- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

KINETIC PERPETUAL (7D46/7D48/7D56)

- Hour, minute and second hands.
- Calendar (Date).
- Automatic Power Generator.
- Automatic Energy Saving Function.
- Time Relay Function.
- Perpetual Calendar.
- Energy Depletion Forewarning Function.
- Overcharge Prevention Function.
- 4 Year Power Storage.



HOW TO START THE WATCH

When using the watch for the first time be sure to charge the Rechargeable Battery sufficiently by swinging the watch from side to side before setting the time and other functions.

1. Swing the watch side to side at a rate of twice per second.
2. After the watch is swung for approximately 500 times, the second hand begins to move in 1 second intervals. A further 200 swings will ensure about 1 day of power available. It is not necessary to charge the rechargeable battery fully before you wear the watch. While the watch is on your arm, the Automatic Power Generator will ensure constant operation.

Note: 1. Wearing the watch continuously for 12 hours will accumulate power to run the watch for approximately one and a half additional days. As a general guideline, if you wear the watch everyday for 12 hours over a period of a week, the power to run the watch for approximately 10 days will be additionally secured. If the watch enters the power save mode, this amount of energy will keep the watch running for approximately one month and a half. 2. No additional benefit is obtained by swinging the watch more quickly or with greater vigor. 3. When the watch is swung, the oscillating weight in the generating system rotates to drive the mechanism. As it rotates, it creates a sound: this is not a malfunction.

AUTOMATIC POWER SAVE FUNCTION

In order to conserve the stored electrical energy, the watch automatically enters Power Save Mode to stop the hands from moving approximately 24 hours after the watch is left untouched. In a case that the fully charged watch enters the power save mode, the Time Relay Function of the watch remains operable for approximately 4 years.

PERPETUAL CALENDAR FUNCTION

Once set, the calendar automatically adjusts for odd and even months including February of leap years until the year 2100. While the watch is in power save mode, the perpetual calendar continues to function (the calendar continues to properly advance).

ENERGY DEPLETION FOREWARNING FUNCTION

When the second hand starts moving in two-second intervals instead of the normal one-second interval, the watch will run down in approximately 12 hours. If the power save function has been turned off by swinging the watch, and the second hand starts to move in two-second intervals, then the power reserve may have been drained to an extremely low level. In either case, charge the watch using the procedure above.

HOW TO SET TIME AND DATE

Because the calendar is pre-adjusted at the factory, you may only need to set the time and date. Pull out the crown out to the second click. The second hand will stop on the spot. Turn the crown to set the time. Remember to check the 24 hour indicator to correctly set AM or PM. To set the time accurately, advance the minute hand 4 to 5 minutes ahead of the correct time, and then turn it back to the exact time.

To adjust the date pull the crown out to the first click. Rotate crown in either way to adjust to the correct date.

Note: Do not pull the crown out to adjust the date/time until the Time Relay Function is complete. This will cause the time data retained inside the watch to be erased, thus disabling the Time Relay Function.

HOW TO DO A COMPLETE CALENDAR ADJUSTMENT


Complete calendar adjustment is only necessary if the watch is completely stopped due to shortage of stored energy. Each calendar item should be adjusted in sequence of year, month and date.

1. Pull out crown to first click.
2. Rotate crown to advance date and month until the correct year is displayed.
Refer to the Leap Year Chart to determine if the current year is a leap year or to determine if it is 1, 2 or 3 years past the last leap year.
3. After setting the watch to the correct year, continue to rotate the crown to set the correct month and then the correct date.
4. Pull crown out to second click to set the correct time
(see How To Set Time And Date).
5. Push crown back to original position.

Note: The date, month and year indicators work independently from the hands of the watch. Advancing the hands will not advance the date, month or year.

AUTOMATIC ANALOGUE (7S26/7S36)

- Hour, Minute, Seconds (24 hour hand for 4R39)
- Calendar, Day Of the Week (4R36)
- Powered by movement or winding the crown



a: Screwed-in position b: Normal position c: First click d: Second click

HOW TO START THE WATCH

To initially start your watch:

Swing it from side to side in a horizontal arc for about 30 seconds. This is an automatic mechanical watch.

** If the watch is worn on the wrist, the mainspring will be wound automatically through normal wrist movement.*

** If the watch is used without being wound up sufficiently, gain or loss of the watch may result. To avoid this, wear the watch for more than 8 hours a day.*

HOW TO SET THE TIME, DAY AND DATE

- Check that the watch is operating, and then set the time, day and date.
 - The watch is provided with a day and date function and is so designed that the day and date changes once every 24 hours. The date changes around 12 o'clock midnight, and the day around 4:00 a.m. If AM/PM is not properly set, the date will change around 12 o'clock noon, and the day around 4:00 p.m.
1. Pull out the crown to the first click. (The second hand continues moving and the accuracy of the watch is unimpaired.)
 2. The day can be set by turning the crown clockwise.
 3. The date can be set by turning the crown counterclockwise. Turn it until the previous day's date appears.
Ex.) If today is the 5th of the month, first set the date to "4" by turning the crown counterclockwise.
 4. Pull out the crown to the second click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.)
Turn the crown to advance the hands until the date changes to the next. The time is now set for the a.m. period. Advance the hands to set the correct time.
 5. Push the crown back in to the normal position in accordance with a time signal.


ACCURACY OF MECHANICAL WATCHES

- The accuracy of mechanical watches is indicated by the daily rates of one week or so. (Around 25 seconds per day +/-)
- The accuracy of mechanical watches may not fall within the specified range of time accuracy because of loss/gain changes due to the conditions of use, such as the length of time during which the watch is worn on the wrist, arm movement, whether the mainspring is wound up fully or not, etc.
- The key components in mechanical watches are made of metals which expand or contract depending on temperatures due to metal properties. This exerts an effect on the accuracy of the watches. Mechanical watches tend to lose time at high temperatures while they tend to gain time at low temperatures.

- In order to improve accuracy, it is important to regularly supply energy to the balance that controls the speed of the gears. The driving force of the mainspring that powers mechanical watches varies between when it is fully wound and immediately before it is unwound. As the mainspring unwinds, the force weakens.
Relatively steady accuracy can be obtained by wearing the watch on the wrist frequently for the self-winding type and winding up the mainspring fully everyday at a fixed time to move it regularly for the wind-up mechanical type.
- When affected by external strong magnetism, a mechanical watch may lose/gain time temporarily. The parts of the watch may become magnetized depending on the extent of the effect. In such a case, consult the retailer from whom the watch was purchased since the watch requires repair, including demagnetizing.

CHRONOGRAPH (7T04)

- Hour, minute and small second hands.
- Calendar (Date).
- Stopwatch minute, and 1/5th second hands.
- Stopwatch measures up to 60 minutes in 1/5th of a second increments.
- 24 hour hand



HOW TO SET TIME AND DATE


- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn crown clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

CHRONOGRAPH (7T11)

- Hour, Minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 12 hours 1 second increments.



HOW TO SET TIME AND DATE


- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

ALARM CHRONOGRAPH (7T62)

- Hour, minute and small second hands.
- Calendar (Date).
- Stopwatch minute and 1/5th second hands.
- Stopwatch measures up to 60 minutes in 1/5th of a second increments.
- Alarm can be set on a 12 hour basis, or, can be used as a second time zone.



HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

HOW TO SET ALARM TIME

1. Pull the crown out to the second click position.
2. Press 'B' to set the alarm hour and minute hands to the correct time.
3. Push the crown back to the normal position. Once the time is set, you do not have to adjust again unless there is a change in time (e.g. daylight savings).
4. For a dual time zone adjust hands on any desired time.

HOW TO SET ALARM

1. Pull the crown to the first click position.
2. Press button 'B' to set the alarm hour and minute hands to desired alarm time.
3. Push the crown back to the normal position.

Note: Alarm setting on a 12 hour basis only. Alarm will ring at the designated time for 20 seconds; one time only alarm. The alarm needs to be reset in order to re-engage the alarm function.

HOW TO USE STOPWATCH

The stopwatch can measure up to 60 minutes in 1/5th of a second increments. Press Button 'A' to start, stop and restart the stopwatch.

- Press Button 'A' to start/stop/restart the stopwatch.
 - Press Button 'B' to split/split release/reset the stopwatch.
- * Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

HOW TO ADJUST HAND POSITION

1. If chronograph hands will not return the 12 o'clock position when the chronograph is reset or when the battery is replaced with a new one, follow the procedure below to reset the hands to the correct position.
2. Pull crown out to the second click.
- Press and hold button 'A'. The stopwatch minute hand will sweep around dial. Press button 'B' to adjust minute hand.
- Press and hold button 'A'. The stopwatch 1/5th of a second hand will sweep around dial. Press button 'B' to adjust 1/5th of a second hand.
3. Push crown back into normal position.


Note: Holding in button 'B' when adjusting the hand position, hands will move faster.

HOW TO USE ALARM DIAL AS DUAL TIME DISPLAY

1. Pull the crown out to the second click position.
2. Press the button "B" to set the hour and minute hands to time of a different time zone.
3. Push the crown back to normal position.

YACHTING TIMER (7T84)

- Time/Calendar.
- Hour, minute and small second hands.
- Date.
- Yacht Timer.
- 5, 6 & 10 minutes preset timers.
- Timer (TMR).
- Can be set to a maximum of 15 minutes in 1-minute increments.
- Stopwatch (CHR).
- Measure up to 12 hours in 1/5 second increments.
- Stopwatch will stop automatically when the measurement reaches 12 hours.
- Alarm (ALM).
- Single time alarm: sounds only once at a designated alarm time within 12 hours.
- Regular alarm: set to sound at a designated time everyday on a 12-hour basis.
- Local Time (LOC).
- A different time zone can be shown in 1-minute increments.



HOW TO CHANGE THE MODE

1. Pull the crown out to the first click.
2. Press button A to set the mode indicator pointing at your desired mode.
3. After selecting the desired mode, push the crown back to normal position.

HOW TO SET TIME ON MAIN DIAL AND SMALL DIAL

1. Pull the crown out to the second click, when the small second hand is at the 12 o'clock position.
2. Turn the crown to set the time of the main dial.
3. Press button B, to set the time for the small dial. With each press of button B the small watch hands will advance 1 minute. Pressing and holding button B will advance the small dial hands rapidly.
4. When finished setting the time, push the crown back to the normal position.

HOW TO SET THE DATE

1. Pull the crown out to the first click.
2. Turn the crown clockwise to set the date. (When setting the date, do not press either button A or B, as pressing either button while the crown is at the first click position can change the mode and the setting in some modes).
3. Push the crown back to the normal position.

HOW TO USE YACHTING TIMER

Yachting timer combines the function of a count down timer and a stopwatch that starts operating automatically when the timer finishes counting down. This function is particularly useful in yacht racing.

- Three pre-set yachting timer modes: 5, 6 and 10 minutes timers.
- Once you activate the yachting timer function, the selected timer will start counting down in 1 second increments.
- The remaining time will be indicated by the centre hand and the small dial will turn clockwise while the yachting time is counting down.
- When the yacht timer count down finishes, the watch will beep indicating time is up and the stopwatch will automatically start.
- The stopwatch can measure up to 12 hours in 1 second increments. When the measurement reaches 12 hours, the stopwatch will stop automatically.
- Only one yacht timer can be used at one time.
- Cannot change the selected timer while it is working. To change the timer, it is necessary to stop the current working timer before changing to another.
- Split time measurement is possible.

1. Pull the crown out to the first click.
2. Press button A, to set the mode indicator to point at the desired yacht timer.
3. Push the crown back to the normal position.
4. Press button A to start the yacht timer.
5. To reset the timer, press button A to stop the timer and press button B to reset.

The centre hand indicates the remaining minutes and the big hand of the small dial indicates the remaining seconds. When the remaining time is shorter than 60 seconds, the center hand also begins to countdown in 1 second increments.

Example: Timer mode display when the timer is set for 4 minutes



- * If you press button B once again after the timer time is set for 15 minutes, the timer time returns to one minute.
- * The set timer time will be retained even if the TIMER mode is changed to another mode

HOW TO RESET THE YACHT TIMER

To reset the yacht timer, the stopwatch needs to be stopped.

When the stopwatch hands are moving:

1. Press button A to stop the stopwatch.
2. Press button B to reset the yacht timer.

When the stopwatch hands stopped:

1. Press button B to reset the yacht timer.

When the split time measurement is displayed while the stopwatch is measuring.

1. Press button B to release the stopwatch hands. The stopwatch hands return to the ongoing measurement movement.
2. Press button A to stop the stopwatch.
3. Press button B to reset the yacht timer.

When the split time measurement is displayed and the stopwatch is stopped.

1. Press button B to release the stopwatch hands. The stopwatch hands will stop.
2. Press button B to reset the yacht timer.

RESTART SETTING FUNCTION

- Yachting timer mode features a restart setting function, which enable to restart the measurement correctly and easily after an interruption during the stopwatch measurement.
- The restart setting function can be used anytime while the stopwatch is measuring following the yacht timer counting.
- Press button A for approximately 2 seconds will activate the restart setting function.
- Restart of the measurement will be made at regular intervals from the initial start of the measurement.
- The intervals between the initial start of the measurement and the restarts are automatically decided according to the selected yacht timer which had finished its counting before the stopwatch had started.

HOW TO USE THE TIMER

- The timer can set to a maximum of 15 minutes in 1 minute increments.
- The remaining time is indicated by the center hand and the two hands of the small watch.
- When the timer finishes counting down, the watch will beep indicating the time is up.

To set the Timer:

1. Pull the crown out to the first click.
2. Press button A to set the mode indicator pointing at the Timer mode.
3. Press button B to set the center hand to show the desired timer time. With each press of button B, the center hand moves one minute forward, adding one minute to the timer time.
4. Push the crown back to normal position.
- The number on the outer circle of the dial indicated by the center hand shows the timer time. (The small hand of the small dial also indicates the timer time.)
5. Press Button A to start the timer, press button A to stop and press button B to reset.

HOW TO USE THE STOPWATCH

- The stopwatch can measure up to 12 hours in 1/5 second increments.
- The large second hand measures 1/5 second, the large hand in the small watch measures the minutes and the small hand measures the hour.
- When the measurement reaches 12 hours, the stopwatch will automatically stop.
- Split time measurement.

YACHTING TIMER (7T84) CONTINUED

1. Pull the crown out to the first click.
2. Press button A to set the mode indicator pointing at the chronograph mode.
3. Push the crown back to its normal position.
4. Press button A to start the stopwatch.
5. Press button A to stop the stopwatch.
6. Press button B to reset the stopwatch.
7. To accumulate elapsed time measurement, press button A to start and press button A to stop, press button A to restart the stopwatch and press button A to stop. Press button B to reset.
8. Split time measurement, press button A to start, press button B to split. Press button B for split release, press button A to stop and press button B again to reset. (Measurement and release of the split times can be repeated as many times as required by pressing button B).
9. Measurement of 2 competitors. Press button A and press button B for the finish time of the 1st competitor, press button A when 2nd competitor finishes. Then press button B for the finish time for 2nd competitor and press button B to reset.

HOW TO SET THE ALARM

Single time alarm

- Single time alarm is set in the Time mode.
 - The alarm will only alert once at a designated time and it is automatically disengaged.
 - The alarm time can be set within 12 hours from the current time in 1 minute increments.
1. Pull the crown out to the first click.
 2. Press button A to set the mode indicator to point at the Time mode.
 3. Press button B to set the alarm, which will show in the small watch. By press button B the small watch hands will advance in 1 minute.
 4. Push the crown to its normal position.
 5. To stop the alarm alert, press either button A or B. The single time alarm will go for 20 seconds.

The single time alarm will only work when it is in Time mode.

To cancel the single time alarm

- Press button B to the set the alarm time to current time
- Change the Time mode to another mode.

Regular alarm

- The regular alarm can be set to be alert at a designated time everyday.
 - The regular alarm is set in the Alarm mode.
 - The set alarm time can be used as many times as required.
1. Pull the crown to the first click.
 2. Press button A to set the mode indicator to point at Alarm mode.
 3. Press button B to set the small dial to show the desired regular alarm time.
 4. Push the crown back to the normal position.
 5. To stop the alarm alert, press either button A or B. The regular alarm will go for 20 seconds.

Sound demonstration function (Alarm sound preview)

1. Pull the crown out to first click.
2. Press button A to set the mode indicator pointing at the alarm mode.
3. Push the crown back to the normal position.
4. Press button A for more than 2 seconds. The alarm sound can be heard while button A is kept pressed.

LOCAL TIME

- The small dial can be set to show the time in second time zone.
- Two different times can be shown at the same time using the main dial and the small dial as a dual time display.

HOW TO SET THE LOCAL TIME

1. Pull the crown out to first click.
2. Press button A to set the mode indicator to point at Local time mode.
3. Press button B to set the local time. (The small watch shows the time in another time zone.)
4. Push the crown back to normal position.

NECESSARY PROCEDURE AFTER BATTERY CHANGE

After the battery is replaced with a new one, or when an abnormal display appears, reset the watch built-in IC. The watch will resume its normal operation.

HOW TO RESET THE IC


1. Pull the crown out to the second click.
2. Press button A and B at the same time.
3. Push the crown back to the normal position and check if the hands move as normal.

HAND POSITION ADJUSTMENT

- Hand position adjustment is required when the hands are not correctly aligned for the use in the Stopwatch and Timer functions, or after a battery change or reset of the built-in IC.
1. Pull the crown out to second click.
 2. To adjust the small watch. Press button A for approximately 5 seconds. The small watch hands will start moving.
 3. Press button B to set the small watch hands to 12 o'clock, which is the initial position of the small watch hands.
 4. To adjust the center hand. Press button A the center hand will turn a full circle.
 5. Press button B to set the center hand to the 0 position.
 6. To adjust the mode indicator. Press button A the mode indicator will turn a full circle.
 7. Press button B to set the mode indicator pointing at the Time mode, which is the initial position of the mode indicator. Keep pressing the button B until the mode indicator exactly pointing at the dot marker.
 8. When adjustment is finish, push the crown back to normal position.
 9. After hand adjustment is complete, set the time and date following the instruction on how to set the time.

DOUBLE RETROGRADE CHRONOGRAPH (7T85)

- Hour, minute and small second hand.
- Calendar.
- Chronograph measures up to 300 minutes in 1/5th of a second increments.



HOW TO SET THE TIME (Main hands and calendar)

- Uncrew the crown (if screw type) and pull out to first click.
- Turn the crown clockwise until the previous date appears.
- Pull the crown out to the second click position when the small second hand is at the 12 o'clock position (the small second hand will stop on the spot).

Turn clockwise to advance the hour and minute hands past the 12:00am.

Doing so will advance the date to the current date.

- Set the hour and minute hands to the desired time taking into account AM/PM.
- Press button 'B' to set the time for the bottom dial. With each press of button 'B' the small hands will advance one minute. Pressing and holding button 'B' will advance them rapidly.
- Push crown back to normal position.
- Screw in the crown (if screw type).

HOW TO USE THE CHRONOGRAPH

How to use stopwatch

The stopwatch can measure up to 60 minutes in 1/5th of a second increments. Press Button 'A' to start, stop and restart the stopwatch.

- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.

* Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

How to adjust hand position

1. If chronograph hands will not return the 12 o'clock position when the chronograph is reset or when the battery is replaced with a new one, follow the procedure below to reset the hands to the correct position.
2. Pull crown out to the second click.
 - Press and hold button 'A'. The stopwatch minute hand will sweep around dial. Press button 'B' to adjust minute hand.
 - Press and hold button 'A'. The stopwatch 1/5th of a second hand will sweep around dial. Press button 'B' to adjust 1/5th of a second hand.
3. Push crown back into normal position.


Note: Holding in button 'B' when adjusting the hand position, hands will move faster.

How to use alarm dial as dual time display

1. Pull the crown out to the second click position.
2. Press the button "B" to set the hour and minute hands to time of a different time zone.
3. Push the crown back to normal position.

CHRONOGRAPH PERPETUAL (7T86)

- Time.
- Day/Date indicator.
- Month/Year check on demand.
- Stopwatch measures 24 hours in 1/5th of a second increments.
- Alarm – 24 hour.
- Perpetual Calendar automatically adjusts until Feb 2100.



HOW TO CHANGE MODE

Press Button B to change mode from 'Calendar/Alarm Mode' to 'Stopwatch Mode'.

HOW TO SET TIME AND ALARM DIAL TIME

- 1) Pull crown out to 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
- 2) Turn the crown to set the main dial time.
- 3) Press button B to set the alarm sub-dial time in 24 hour format.
E.g 6pm is 18:00.

HOW TO ADJUST PERPETUAL CALENDAR

- 1) Pull crown out to 1st Click.
- 2) Press button A for 5 seconds – the calendar hand will sweep around the dial.
- 3) Press B to set the date (hand will move quickly if kept pressed).
- 4) Press A once and the day indicator will point to CHR.
- 5) Press B to adjust the day of the week.
- 6) Press A and the calendar hand will point to the month.
- 7) Press B to adjust the month.
- 8) Press A and the calendar hand will point to the leap year indicators.
- 9) Press B to set the year (you must know the number of years elapsed since last leap year).
- 10) Press A to return to Date setting mode.
- 11) Press the crown back to the normal position.

HOW TO USE THE STOPWATCH

- 1) In the normal crown model Press B, and the Day/Mode hand will point to CHR.
- 2) Press Button A to start and stop the stopwatch.
- 3) Press Button B to reset the stopwatch.
- 4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.


HOW TO USE THE ALARM

Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME & ALARM DIAL'.

- 1) Pull crown out to first click.
- 2) Press Button B set desired alarm time (keeping button B pressed will make the hands move faster) This dial is a 24 hour dial, so 6pm is 18:00.
- 3) After desired time has been set press the crown back to the normal position. Alarm will sound for 20 seconds at desired time. To turn off alarm press Button A or B. To cancel an alarm set, pull crown out to first click and then press crown back to normal position.

CHRONOGRAPH (7T92)

- Hour, minute and small second hands. Calendar (Date).
- Stopwatch hour, minute, second and 1/20th second hands.
- Stopwatch measures up to 12 hours in 1/20th of a second increments.



HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am.
Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)


HOW TO USE STOPWATCH

The stopwatch can measure up to 12 hours in 1/20th of a second increments.

- Press Button 'A' to start/stop/restart the stopwatch.
 - Press Button 'B' to split/split release/reset the stopwatch.
- * Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

SOLAR ALARM CHRONOGRAPH (V172)

- Time/calendar.
- 60-Minute stopwatch in 1/5-second increments with split time measurement function.
- Single-time alarm within 12 hours.
- Powered by light energy.
- No battery change required.
- Lasts for 6 months after full charge.
- Energy depletion forewarning function.
- Overcharging prevention function.



MAKING ADJUSTMENTS TO THE WATCH

This watch is designed so that the following adjustments are made with the crown at the second click position:

1. main time setting
2. alarm hand adjustment
3. stopwatch hand position adjustment

Once the crown is pulled out to the second click, be sure to check and adjust 1. and 2. at the same time. If needed, 3. should also be adjusted then.

HOW TO SET TIME

1. Pull out crown to the second click when the second hand is at the 12 o'clock position.
2. Turn the crown to set the hour and minute hands.

HOW TO ADJUST THE ALARM HANDS

2. Press 'B' repeatedly to set the ALARM hands to the time indicated by the main time hands.

HOW TO ADJUST STOPWATCH HAND POSITION

If the STOPWATCH hands are not in the "0" position, follow the procedure below to set them to the "0" position.

1. Press 'A' for 2 seconds.
2. Press 'B' repeatedly to set the STOPWATCH minute hand to the "0" position.
3. Press 'A' for 2 seconds.
4. Press 'B' repeatedly to set the STOPWATCH 1/5-second hand to the "0" position.

HOW TO SET DATE

Before setting the date, be sure to set the main time.

1. Pull the crown out to the first click.
2. Turn the crown clockwise until the desired date appears.
3. Push the crown back into the normal position.

HOW TO USE STOPWATCH

The stopwatch can measure up to 60 minutes in 1/5-second increments. When the measurement reaches 60 minutes, the stopwatch automatically stops.

Split time measurement is available.

Before using the stopwatch, be sure to check that the crown is set at the normal position and that the STOPWATCH hands are reset to the "0" position.

HOW TO RESET STOPWATCH

While the stopwatch hands are moving:

1. Press Button 'A' to stop the stopwatch.
2. Press Button 'B' to reset the stopwatch.

When the stopwatch is stopped:

1. Press Button 'B' to reset the stopwatch.

When the split time measurement is displayed while the stopwatch is measuring:

1. Press Button 'B' to release the split time display. The stopwatch hands move quickly, and then indicate the measurement in progress.

2. Press Button 'A' to stop the stopwatch.

3. Press Button 'B' to reset the stopwatch.

When the split time measurement is displayed and the stopwatch is stopped:

1. Press Button 'B' to release the split time display. The stopwatch hands move quickly, and then stop.
2. Press Button 'B' to reset the stopwatch.

HOW TO SET ALARM

The alarm can be set to ring only once at a designated time within the coming 12 hours.

- The alarm time can be set in one minute increments.
- You can preview the alarm sound by using the sound demonstration function.

Before using the alarm, check that the ALARM hands are adjusted to the current time.

1. Pull the crown out to the first click.
2. Press 'B' repeatedly to set the desired alarm time.
3. Push the crown back into the normal position.

At the designated time the alarm rings for 20 seconds, and it is automatically disengaged as it stops. To stop it manually, press Button A or B.

HOW TO CHARGE AND START THE WATCH

When you start the watch or when the energy in the rechargeable battery is reduced to an extremely low level, charge it sufficiently by exposing the watch to light.

1. Expose the watch to sunlight or strong artificial light.
2. Keep the watch exposed to the light until the second hand moves at 1-second intervals.
3. When the watch is charged after it has completely stopped, set the date and time before wearing the watch.

GUIDELINE OF CHARGING TIME/ACCURACY


Environment/Lightsource (lux)	V172		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

The above table provides only a general guideline.

SOLAR CHRONOGRAPH (V175)

- Time/calendar
- 60-Minute stopwatch in 1/5-second increments with split time
- Measurement function
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

Environment/Lightsource (lux)	V175		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power
 B: Time required for steady operation
 C: Time required for full charge

◆ The above table provides only a general guideline.

GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres. Check the calibre of your watch engraved on the back cover.
- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.
- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

NOTE ON POWER SUPPLY


- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as dry-cell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging efficiency of the rechargeable battery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

SOLAR CHRONOGRAPH (V176)

- Time/calendar
- 60-Minute stopwatch in 1/20th second increments with split time
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/20th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

Environment/Lightsource (lux)	V176		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

◆ The above table provides only a general guideline

GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres. Check the calibre of your watch engraved on the back cover.
- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.
- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

NOTE ON POWER SUPPLY


- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as dry-cell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging efficiency of the rechargeable battery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

SOLAR CHRONOGRAPH PERPETUAL (V198)

- Solar – Powered by any light.
- Time.
- Day/Date indicator.
- Month/Year check on demand.
- Stopwatch measures 24 hours in 1/5th of a second increments.
- Alarm – 24 hour.
- Perpetual Calendar automatically adjusts until Feb 2100.



HOW TO CHANGE MODE

Press Button B to change mode from 'Calendar/Alarm Mode' to 'Stopwatch Mode'.

HOW TO SET TIME AND ALARM DIAL TIME

- 1) Pull crown out to 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
- 2) Turn the crown to set the main dial time.
- 3) Press button B to set the alarm sub-dial time in 24 hour format.
E.g 6pm is 18:00.

HOW TO ADJUST PERPETUAL CALENDAR

- 1) Pull crown out to 2nd Click.
- 2) Press button A and the day of week hand will sweep around the dial.
- 3) Press B to set the day of week.
- 4) Press A once and the day indicator will point to date.
- 5) Press B to adjust the date.
- 6) Press A and the calendar hand will point to the month.
- 7) Press B to adjust the month.
- 8) Press A and the calendar hand will point to the leap year indicators.
- 9) Press B to set the year (you must know the number of years elapsed since last leap year).
- 10) Press A to return to Date setting mode.
- 11) Press the crown back to the normal position.

HOW TO USE THE STOPWATCH

- 1) In the normal crown mode Press B, and the Day/Mode hand will point to CHR.
- 2) Press Button A to start and stop the stopwatch.
- 3) Press Button B to reset the stopwatch.
- 4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.


HOW TO USE THE ALARM

Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME & ALARM DIAL'.

- 1) Pull crown out to first click.
- 2) Press A to advance or B to decrease to desired alarm time (keeping button pressed will make the hands move faster). This dial is a 24 hour dial, so 6pm is 18:00.
- 3) After desired time has been set press the crown back to the normal position. Alarm will sound for 20 seconds at desired time. To turn off alarm press Button A or B. To cancel an alarm set, pull crown out to first click and then press crown back to normal position.

SOLAR ANALOGUE

- Powered by light energy.
- No battery change required.
- Lasts for 2 to 12 months after full charge (depends on the calibre).
- Energy depletion forewarning function (for cal. V111, V117, V145, V147, V157, V158, V181, V182, V187 only).
- Instant-start function (for cal. V145, V147, V157, V158, V181, V182, V187 only).
- Overcharging prevention function.



HOW TO CHARGE AND START THE WATCH

When you start the watch or when the energy in the rechargeable battery is reduced to an extremely low level, charge it sufficiently by exposing the watch to light.

1. Expose the watch to sunlight or strong artificial light.
2. Keep the watch exposed to the light until the second hand moves at 1-second intervals.
3. When the watch is charged after it has completely stopped, set the date and time before wearing the watch.

HOW TO SET TIME AND DATE

Models with two/three hands:

1. Pull out the crown to the first click.
2. Turn the crown to set the desired time.
3. Push back the crown completely (in accordance with a time signal for a three-hand model.)

Models with date:

1. Pull out the crown to the first click and set the previous date.
2. Pull out the crown to the second click when the second hand is at the 12 o'clock position.
3. Turn the crown until the desired date appears.
4. Turn the crown to set the hour and minute hands to the desired time.
5. Push back the crown completely in accordance with a time signal.

Models with day and date:

1. Pull out the crown to the first click and set the previous day and date.
2. Pull out the crown to the second click when the second hand is at the 12 o'clock position.
3. Turn the crown until the desired day and date appears.
4. Turn the crown to set the hour and minute hands to the desired time.
5. Push back the crown completely in accordance with a time signal.

GUIDELINE OF CHARGING TIME/ACCURACY

Environment/Lightsource (lux)	V110			V111/V117		
	A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	50	16	140	180	60	-
30W/20cm/ Fluorescent light (3000)	11	3.5	30	35	10	180
Cloudy weather/Sunlight (10000)	3	0.9	8	12	4	60
Fair weather/Sunlight (100000)	1	0.3	2	2	0.5	10
Expected life per charge from full charge to stoppage	5 months			6 months		
Loss/gain (monthly rate)	Less than 20 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)			Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-5 °C to 50 °C			-10 °C to 60 °C		

V114/V115/V116			V147/V157/V158			V187		
A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
180	60	-	110	25	-	95	8	100
35	10	180	30	6	120	23	1.6	25
12	4	60	10	2	35	6	0.4	7
2	0.5	10	2	0.4	9	3	0.1	3
12 months			10 months			2 months		
Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)								
-10 °C to 60 °C								

V145			V181/V182		
A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
50	11	175	75	6	82
10	2	40	18	1.3	20
3	0.5	10	5	0.3	5
1	0.1	3	2	0.1	2.1
6 months			2 months		
Less than 20 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)					
-5 °C to 50 °C					

- A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

The above table provides only a general guideline

ENERGY DEPLETION FOREWARNING FUNCTION

- If your watch has a second hand, when the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. (Some calibres have no such function.) The watch remains accurate even while the second hand is moving at 2-second intervals.
- In that case, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in about 3 days. (For recharging the watch, see "HOW TO CHARGE AND START THE WATCH")

To prevent the energy depletion:

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

ADVERTISING & MARKETING

For information relating to advertising, displays, point of sale materials, incentive programs, website, dealer catalogues and consumer brochures.

Jason Lancett (Seiko):

(02) 9805 4651

Daniel Findlay (Pulsar/Lorus):

(02) 9805 4636

CUSTOMER LIAISON

For assistance with order placement for watches and clocks, product availability and features/functions of Seiko Australia products call – 1300 300 776.

Orders can also be placed by faxing (02) 9887 3736 or emailed to salesdesk@seiko.com.au

SERVICE CENTRES & AGENTS

Service centres for Seiko, Pulsar and Lorus products.

SERVICE CENTRES

Sydney

Seiko Australia Pty Ltd
89 Epping Road, Macquarie Park NSW 2113
PO Box 314, North Ryde 1670
Phone: (02) 9805 4666 or 1300 363 575
Fax: (02) 9887 3736

Melbourne

Seiko Australia Pty Ltd
Suite 7, Building 1
1st Floor, 574 Plummer Street
Port Melbourne, Victoria 3207
Ph: +61 (3) 9644 5555
Fax: +61 (3) 9645 6979

AFTER SALES CUSTOMER SERVICE

This incorporates the service centres, spare parts department, the workshop and service agents.

SERVICE CENTRES

General enquiries relating to any consumer and retailer watch and/or clock repair issues.

Sydney Service Centre

Phone: 1300 363 575

Melbourne Service Centre

Lidiya Trajkovski: (03) 9644 5555

WORKSHOP

Deals with product technical problems, quality of repairs, etc.
Richard Kubisch: (02) 9805 4622
Michael Tatam: (02) 9805 4696

SPARE PARTS

Responsible for supply and availability of parts, delays in order turn-around.
Colin Davies: (02) 9805 4625
William Tonkin: (02) 9805 4692

WAREHOUSING & DISTRIBUTION

For assistance with proof of delivery, delays, short shipments, missing consignments, ticketing, credits and incoming shipments.
John Li: (02) 9805 4657

GENERAL ENQUIRIES

Phone: 1300 300 776 or by email at info@seiko.com.au

SERVICE AGENTS

Queensland

R W Harrold Watchmaker
Shop 3A Ground Floor
Sherwood House, 39 Sherwood Road
Toowong QLD 4066
Phone: (07) 3876 7133
Fax: (07) 3876 7414

SERVICE AGENTS CONT'D

South Australia

About Time Watch Repairs
3rd Floor
49 Gawler Place
Adelaide SA 5000
Phone: (08) 8212 8110
Fax: (08) 8212 8112

Western Australia

Neville Cox Watchmaker
PO Box 1749
Canning Vale DC WA 6970
Phone & Fax: (08) 9493 6363

Tasmania

Diamond World
Room 209, 86 Murray Street
Hobart TAS 7001
Phone: (03) 6223 2096
Fax: (03) 6223 4308

New Zealand

Watch World
226A Bush Rd, Albany, Auckland 0632
Phone: +(649) 415 5668
Fax: +(649) 415 5662

Fiji

Stinson Pearce
36 Freeston Road, Walu Bay, Suva, Fiji
Phone: +(679) 330 2366
Fax: +(679) 330 3850

Papua New Guinea


Chin Hoi Meen
PO Box 1106, Boroko
National Capital District, Port Moresby
Phone: +(675) 325 6644
Fax: +(675) 325 0134

Vanuatu

Sound Centre/Downtown Duty Free
& Prouds The Jewellers
Lini Highway, Port Vila
Republic of Vanuatu
Phone: (678) 22035
Fax: (678) 22025

3 YEAR GUARANTEE

All SEIKO watches and clocks are covered by a 3 year guarantee. The guarantee covers defects in the material and workmanship from the date of purchase. As a SEIKO authorised dealer it is your responsibility to correctly fill in the guarantee with all the information required. The diagram on the right shows where to find the relevant information on the watch caseback.



In the case of incorrectly used guarantees, return them to SEIKO Australia or hand them to your SEIKO Australia Representative for free replacement, otherwise a charge for new guarantees will be applicable.

Global Service Network

SEIKO's dedication to quality extends throughout its service network in all corners of the world, extending the same dedication to excellence and the highest quality service to SEIKO customers everywhere.

For over 100 years SEIKO has stood for quality – in manufacture, design and service. Today, our SEIKO service centres strive to offer the highest standard of after-sales service and ensure lasting consumer satisfaction. In the Oceania Region, SEIKO Australia Pty Ltd has a network of branch offices, service centres and authorised service agents throughout Australia, New Zealand, Papua New Guinea, and the Pacific Islands.

For service, repairs and spare parts enquiries, please phone 1300 363 575 or email service@seiko.com.au



SEIKO

CORPORATE GIFTS

DEDICATED TO PERFECTION

Specialised timepieces are the perfect corporate gift for service awards, incentive and reward programs, product launches, corporate gifts, safety awards, promotions and many other corporate occasions.



Customisations Options:

- Dial printing of company logo up to 5 colours
- Engraving logos and or text message on the case back or clasp

All watches are supplied in presentation boxes with full Seiko warranty

Minimum orders 1 unit

For more information contact the Corporate Sales Department:

Ph: +61 2 9805 4614

Email: corporate@seiko.com.au



SPORTS TIMING & SPECIALTY CLOCKS

The world over, people have come to rely on the expert time keeping of SEIKO. Whether this be a major sporting event like the IAAF Championships which SEIKO have timed since 1987, or a Landmark clock, such as the Waco Department store in Japan, SEIKO has a timing solution for any need.

The extensive range of Sports Timing Equipment, and Landmark Clocks are now available in Australia.

Both catalogues can be found on our website
<http://www.seiko.com.au/pr-media/sports-timing>

For more information or a quote email
specialisttiming@seiko.com.au

Model Number	Page	Price
S23535P	54	\$525.00
S23547J	54	\$99.95
S23569J	54	\$595.00
S23571J	54	\$950.00
S23589J	54	\$120.00
S23593J	54	\$525.00
S23601P	54	\$250.00
S23603P	54	\$275.00
S23605P	54	\$325.00
S23619J	19	\$5,500.00
SBDX014	19	\$6,000.00
SBEX001	19	\$11,000.00
SFQ830P	53	\$275.00
SGEH42P	41	\$395.00
SGEH43P	41	\$325.00
SGEH45P	41	\$375.00
SGEH47P	41	\$375.00
SGEH48P	41	\$375.00
SGEH49P-2	41	\$375.00
SGG480PS	41	\$295.00
SGG717P	40	\$350.00
SGGA61P	40	\$375.00
SGGA62P	40	\$395.00
SKA371P-2	20	\$695.00
SKA683P	31	\$525.00
SKA685P	31	\$525.00
SKA687P	31	\$595.00
SKA691P	31	\$495.00
SKA693P	31	\$495.00
SKA695P	31	\$495.00
SKA878P	16	\$775.00
SKA879P	16	\$650.00
SKA881P	16	\$795.00
SMY149P	31	\$495.00
SNAF07P	35	\$595.00
SNAF39P	17	\$795.00
SNDG57P	35	\$550.00
SNDG57P-2	35	\$475.00
SNDG61P	35	\$495.00
SNDV64P	18	\$1,300.00
SNDV65P	18	\$1,200.00
SNDV66P	13	\$750.00
SNDV70P	13	\$750.00
SNDV71P	13	\$695.00
SNDX95P	16	\$995.00
SNE094P	38	\$395.00
SNE095P	38	\$325.00
SNE095P-2	38	\$325.00
SNE098P-9	38	\$395.00
SNE107P-2	21	\$495.00
SNE125P-9	37	\$495.00
SNE252P	37	\$475.00
SNE291P	37	\$395.00
SNE293P-2	21	\$450.00
SNE364P	37	\$425.00
SNE366P	37	\$425.00
SNE368P-9	37	\$425.00

Model Number	Page	Price
SNE373P	21	\$525.00
SNE379P	37	\$575.00
SNE382P-9	37	\$595.00
SNE383P-9	21	\$495.00
SNE385P	39	\$375.00
SNE387P	39	\$375.00
SNE390P	39	\$450.00
SNE391P	38	\$395.00
SNE393P	38	\$395.00
SNE393P-2	38	\$375.00
SNE394P	38	\$475.00
SNE395P-9	29	\$495.00
SNE397P-9	29	\$475.00
SNE398P-9	29	\$550.00
SNE404P-9	39	\$450.00
SNE406P	29	\$595.00
SNKM87K	44	\$250.00
SNKM92K	44	\$295.00
SNP113P	11	\$1,150.00
SNP114P	11	\$1,200.00
SNP120P	17	\$1,350.00
SNP126P	10	\$1,300.00
SNP127P	10	\$1,200.00
SNP128P	10	\$1,300.00
SNP129P	10	\$1,300.00
SNZE19K	43	\$425.00
SNZE32K	44	\$425.00
SNZG13K	43	\$395.00
SPC135P	14	\$795.00
SPC137P	14	\$795.00
SPC145P	17	\$895.00
SPC151P	35	\$495.00
SPC159P	11	\$850.00
SPC161P-2	11	\$795.00
SPC162P	11	\$895.00
SPC163P	36	\$495.00
SPC167P	36	\$495.00
SPC167P-2	36	\$450.00
SRG017P	14	\$995.00
SRH021P	17	\$1,200.00
SRH024P	17	\$1,200.00
SRK027P	52	\$450.00
SRK028P	52	\$495.00
SRKZ58P	12	\$795.00
SRKZ60P	12	\$750.00
SRKZ61P	12	\$695.00
SRKZ64P	12	\$675.00
SRKZ66P	12	\$625.00
SRN063P-9	27	\$595.00
SRN066P-9	27	\$695.00
SRP527J	25	\$675.00
SRP529J	25	\$675.00
SRP534J	25	\$775.00
SRP553K	43	\$395.00
SRP639K	21	\$750.00
SRP653K	20	\$995.00
SRP655K	20	\$995.00

Model Number	Page	Price
SRP675K	42	\$450.00
SRP677K-2	42	\$450.00
SRP680K	42	\$495.00
SRP691J	24	\$695.00
SRP693J	24	\$695.00
SRP694J	24	\$775.00
SRP696J	24	\$850.00
SRP701K	44	\$525.00
SRP703K	44	\$525.00
SRP704K	44	\$595.00
SRP705K	44	\$495.00
SRP706K	44	\$550.00
SRP707K	42	\$550.00
SRP713K	42	\$495.00
SRP715K	42	\$495.00
SRP721K	42	\$550.00
SRP880J	24	\$850.00
SRP882J	24	\$795.00
SRP884J	24	\$750.00
SRP887J	24	\$650.00
SRW874P	45	\$595.00
SRW875P	45	\$525.00
SRW875P-2	45	\$475.00
SRX011P	10	\$1,400.00
SRX013P	10	\$1,400.00
SRZ399P	51	\$450.00
SRZ400P	51	\$495.00
SRZ402P	51	\$495.00
SRZ421P	53	\$450.00
SRZ422P	53	\$575.00
SRZ437P	50	\$425.00
SRZ438P	50	\$495.00
SRZ440P	50	\$495.00
SRZ441P	52	\$495.00
SRZ442P	52	\$595.00
SRZ444P	52	\$595.00
SRZ447P	50	\$425.00
SRZ448P	50	\$550.00
SRZ450P	50	\$495.00
SRZ453P	52	\$450.00
SRZ454P	52	\$525.00
SSA213J-2	11	\$795.00
SSA215J	11	\$850.00
SSA216J	11	\$895.00
SSA257J	25	\$725.00
SSA258J	25	\$795.00
SSA262J	25	\$875.00
SSA265K	44	\$695.00
SSA860K	45	\$795.00
SSA862K	45	\$775.00
SSA863K	45	\$695.00
SSA884J	16	\$995.00
SSA885J	16	\$895.00
SSB063P	36	\$395.00
SSB145P	36	\$395.00
SSB155P	36	\$450.00
SSB156P	36	\$495.00

Model Number	Page	Price
SSC138P-9	33	\$650.00
SSC139P-9	33	\$695.00
SSC141P	33	\$550.00
SSC142P	33	\$595.00
SSC143P-9	33	\$625.00
SSC147P	33	\$575.00
SSC193P-9	28	\$595.00
SSC194P-9	28	\$650.00
SSC196P-9	28	\$650.00
SSC198P-9	26	\$695.00
SSC199P-9	26	\$750.00
SSC218P	28	\$695.00
SSC220P	29	\$695.00
SSC261P	23	\$995.00
SSC265P	28	\$695.00
SSC271P-9	15	\$795.00
SSC274P-9	15	\$895.00
SSC288P	28	\$650.00
SSC293P-2	23	\$495.00
SSC295P	23	\$550.00
SSC299P	33	\$650.00
SSC303P	33	\$595.00
SSC312P-9	28	\$950.00
SSC314P-9	28	\$995.00
SSC317P-9	34	\$550.00
SSC320P-9	34	\$595.00
SSC347P	23	\$595.00
SSC349P	23	\$595.00
SSC351P	23	\$550.00
SSC355P	15	\$825.00
SSC357P	15	\$825.00
SSC359P	15	\$795.00
SSC363P	34	\$625.00
SSC367P	34	\$625.00
SSC375P-9	26	\$650.00
SSC376P-9	26	\$695.00
SSC377P-9	26	\$725.00
SSC387P-9	34	\$525.00
SSC389P-9	34	\$550.00
SSC392P-9	34	\$695.00
SSC394P	26	\$695.00
SSC396P	29	\$695.00
SUN015P	14	\$695.00
SUN019P	20	\$1,100.00
SUN023P	20	\$995.00
SUN026P	14	\$895.00
SUN028P	14	\$895.00
SUN045P	20	\$995.00
SUN047P	22	\$695.00
SUN049P	22	\$650.00
SUN051P	22	\$595.00
SUN053P	22	\$595.00
SUP214P	49	\$395.00
SUP216P	49	\$450.00
SUP250P-9	49	\$275.00
SUP272P-9	49	\$450.00
SUP274P-9	49	\$450.00

Model Number	Page	Price
SUP276P-9	49	\$450.00
SUP277P	48	\$495.00
SUP280P	48	\$595.00
SUP282P	48	\$575.00
SUP287P-9	49	\$450.00
SUP288P-9	49	\$495.00
SUP290P-9	49	\$495.00
SUP878P-9	39	\$275.00
SUP880P-9	39	\$275.00
SUR099P	40	\$425.00
SUR101P	40	\$475.00
SUR127P	40	\$395.00
SUR134P	40	\$475.00
SUR136P	40	\$495.00
SUR138P	40	\$475.00
SUR800P	52	\$525.00
SUR802P	52	\$575.00
SUR804P	52	\$550.00
SUR809P	52	\$475.00
SUT022P	46	\$425.00
SUT122P	46	\$495.00
SUT128P	46	\$425.00
SUT142P	46	\$425.00
SUT154P	48	\$475.00
SUT156P	48	\$495.00
SUT158P	48	\$475.00
SUT159P	46	\$350.00
SUT162P	46	\$425.00
SUT164P	46	\$425.00
SUT164P-2	46	\$375.00
SUT170P-9	30	\$795.00
SUT172P-9	30	\$895.00
SUT203P	46	\$575.00
SUT210P-9	47	\$495.00
SUT212P-9	47	\$495.00
SUT214P	46	\$595.00
SUT216P	46	\$595.00
SUT227P	47	\$375.00
SUT230P	47	\$450.00
SUT232P	47	\$450.00
SUT233P	48	\$425.00
SUT234P	48	\$495.00
SUT236P	48	\$495.00
SUT238P	48	\$395.00
SUT239P-9	27	\$725.00
SUT240P-9	27	\$795.00
SUT242P-9	27	\$850.00
SUT243P-9	30	\$495.00
SUT244P-9	30	\$550.00
SUT268P	30	\$595.00
SUT270P	30	\$995.00
SXDG57P	12	\$850.00
SXDG58P	12	\$895.00
SXDG64P	50	\$395.00
SXDG65P	50	\$325.00

SEIKO

Sales orders & enquiries:
salesdesk@seiko.com.au

For sales enquiries within Australia
please phone 1300 300 776.

HEAD OFFICE

89 Epping Road
Macquarie Park NSW 2113
Ph: +61 (2) 9805 4777
Fax: +61 (2) 9887 3736

MELBOURNE

Suite 7, Building 1
1st Floor, 574 Plummer Street
Port Melbourne VIC 3207
Ph: +61 (3) 9644 5555
Fax: +61 (3) 9645 6979

TASMANIA

Diamond World
Room 209, 86 Murray Street
Hobart TAS 7001
Ph: +61 (3) 6223 2096
Fax: +61 (3) 6223 4308

FIJI

Motibhai Building
1 Industrial Road
Nadi Airport, Nadi
Fiji
Ph: (679) 672 2477
Fax: (679) 672 2105

PAPUA NEW GUINEA

CHM & Sons Limited
PO Box 1106, Boroko, NCD
Suite 1 - 3, Level 2
CHM Corporate Park 1
Corner of Waigani Industrial Estate Drive
and Kawai Drive
Allotment 26, Section 496, Hohola
Papua New Guinea
Ph: (675) 301 0532
Fax: (675) 301 0555

VANUATU

Sound Centre/Downtown Duty Free &
Prouds The Jewellers
Lini Highway
Port Vila
Republic of Vanuatu
Ph: (678) 22035
Fax: (678) 22025

TRADE PRACTICES ACT 1974

Resale Price maintenance (S48 SS96 100). The prices shown in this catalogue are recommended retail prices as at 1st July 2015 and there is no obligation to comply with the recommendation. All prices are in Australian dollars and all prices include GST. All prices are subject to change without notice.
Seiko Australia Pty Ltd (ABN 63 000 797 946). SCATPC0715